

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Issue date: 2025-08-28 Revision date: 2025-08-28

Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Citrus Surface RTU

Product code : 2121

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Surface Cleaner

1.3. Manufacturer

Manufacturer

Distinctive Details Inc. 1253 Lower Elkton Rd. Columbiana, OH 44408 - USA T 1 800-711-7021

www.DistinctiveDetailsInc.com

1.4. Emergency telephone number

Emergency number : 1-800-424-9300 (Chemtrec 24 Hr. Emergency Line), Outside USA: 703.527.3887

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1B STOT RE 1

2.2. GHS Label elements, including precautionary statements

GHS labelling

Hazard pictograms (GHS) :







Signal word (GHS) : Danger

Hazard statements (GHS)

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS) : Do not breathe dust/fume/gas/mist/vapours/spray.

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If exposed or concerned: Get medical advice/attention.

If on skin: Wash with plenty of water. Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

Hazard pictograms (GHS)







Signal word (GHS) : Danger

Hazard statements (GHS)

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS) : Do not breathe dust/fume/gas/mist/vapours/spray.

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If exposed or concerned: Get medical advice/attention.

If on skin: Wash with plenty of water. Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a poison center or doctor.

Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

: IF exposed or concerned: Get medical advice/attention.

2-butoxyethanol (Solvent)	2-Butoxy-1-ethanol / Butoxyethanol / Ethanol, 2-butoxy-/ Ethylene glycol monobutyl ether / Ethylene glycol n-butyl ether / Hydroxyethyl butyl ether / Ethylene glycol butyl ether / 2-Butoxyethan-1-ol / Ethylene glycol mono-n-butyl ether / 2-n-Butoxyethanol / Butyl glycol / BUTOXYETHANOL / EGBE / EGMBE / Butoxyethanol, 2- / Butyl Cellosolve / Monobutyl ether of ethyleneglycol	CAS-No.: 111-76-2	5 – 10
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched (Surfactant)	4-Nonylphenol, branched, ethoxylated / Polyethylene glycol, mono(p-nonylphenyl) ether, branched / .alpha (p-Nonylphenyl)omegahydroxypoly(oxyethylene) branched / .alpha(4-Nonylphenyl)omega hydroxypoly(oxy-1,2-ethanediyl) branched	CAS-No.: 127087-87-0	1 – 5
D-Limonene (Solvent)	Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- / Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)- / (R)-p-Mentha-1,8-diene / p-Mentha-1,8-diene, (R)-(+)- / Limonene, D- / Menthadiene, 1,8(9)-p- / d-Limonene / Limonene, d- / (4R)-1-Methyl-4-(1-methylethenyl)cyclohexene / (4R)-p-Mentha-1,8-diene / 1-Methyl-4-prop-1-en-2-yl-cyclohexene / (R)-1-Methyl-4-(1-methylethenyl)cyclohexene / d-LIMONENE / (R)-1-Methyl-4-(1-methylethenyl)cyclohex-1-ene / (R)-4-Isopropenyl-1-methylcyclohex-1-ene / Limonene / Limonene, (+)-	CAS-No.: 5989-27-5	1 – 5

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Chronic symptoms : Causes damage to organs through prolonged or repeated exposure.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapours.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Move containers away from the fire area if this can be done without risk. Cool closed containers

exposed to fire with water spray.

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Remove all sources of ignition. Absorb and/or contain spill with inert

material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin. Do not get in eyes. Do not breathe dust, fume, gas, mist, spray, vapours.

Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Wear appropriate PPE (see Section 8).

Hygiene measures Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-

ventilated place.

Incompatible materials Refer to Section 10 on Incompatible Materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Citrus Surface RTU			
No additional information available	No additional information available		
2-butoxyethanol (111-76-2)			
USA - ACGIH - Occupational Exposure Limits			
Local name	2-Butoxyethanol (EGBE)		
ACGIH OEL TWA	20 ppm		
Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI		
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans		
Regulatory reference	ACGIH 2020		
USA - ACGIH - Biological Exposure Indices			
BEI 200 mg/g creatinine Parameter: Butoxyacetic acid with hydrolysis - Medium: urine - Samplin time: end of shift			
USA - OSHA - Occupational Exposure Limits	USA - OSHA - Occupational Exposure Limits		
Local name	2-Butoxyethanol		
OSHA PEL TWA	240 mg/m³		
OSHA PEL TWA	50 ppm		
Limit value category (OSHA)	prevent or reduce skin absorption		

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

2-butoxyethanol (111-76-2)		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
USA - IDLH - Occupational Exposure Limits		
IDLH 700 ppm		
USA - NIOSH - Occupational Exposure Limits		
NIOSH REL TWA	24 mg/m³	
NIOSH REL TWA	5 ppm	
US-NIOSH chemical category SK: SYS-DIR(IRR) Apr 2011		
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched (127087-87-0)		
No additional information available		
D-Limonene (5989-27-5)		
USA - AIHA - Occupational Exposure Limits		
WEEL TWA 30 ppm		

Exposure limit values for the other components

Ethylene oxide (75-21-8)		
USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA	1 ppm	
OSHA PEL STEL	5 ppm (see 29 CFR 1910.1047)	
Remark (OSHA)	Ethylene Oxide is subject to the standard 29 CFR 1910.1047, which may contain specific requirements for handling including protective equipment, regulated areas, monitoring and medical surveillance. The employer should review the standard and assure compliance with applicable requirements.	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and

safety showers.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.

Eye protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

Citrus Surface RTU

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 11: Toxicological information

· ·	SECTION 11. Toxicological information			
11.1. Information on toxicological effects				
Acute toxicity (dermal) :	Not classified. Not classified. Not classified.			
2-butoxyethanol (111-76-2)				
LD50 oral rat	1200 mg/kg			
LD50 dermal rabbit	435 mg/kg (Source: OECD_SIDS)			
LC50 inhalation rat	3 mg/l			
LC50 inhalation rat	486 ppm/4h			
ATE CA (oral)	1200 mg/kg bodyweight			
ATE CA (Dermal)	435 mg/kg bodyweight			
ATE CA (Gases)	486 ppmv/4h			
ATE CA (vapours)	3 mg/l/4h			
ATE CA (dust,mist)	3 mg/l/4h			
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylpher	nyl)omegahydroxy-, branched (127087-87-0)			
LD50 oral rat	1310 mg/kg (Source: NZ_CCID)			
ATE CA (oral)	657.2 mg/kg bodyweight			
D-Limonene (5989-27-5)				
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)			
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)			
	Causes skin irritation.			
Serious eye damage/irritation :	pH: 6 – 8 Causes serious eye damage. pH: 6 – 8			
Respiratory or skin sensitisation :	May cause an allergic skin reaction.			
3 ,	Not classified.			
- J	Not classified.			
2-butoxyethanol (111-76-2)	2. Net sleesifishin			
IARC group	3 - Not classifiable			
D-Limonene (5989-27-5)				
IARC group	3 - Not classifiable			
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity			
•	Not classified.			
D-Limonene (5989-27-5)	600 mg/kg hodywoight Animal: rat. Animal says famala. Cuidelines ethers			
NOAEL (animal/female, F0/P) STOT-single exposure :	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: Not classified.			
2-butoxyethanol (111-76-2)	Trot oldoomou.			
STOT-single exposure	May cause respiratory irritation.			
2. C. Single Supessio				

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
2-butoxyethanol (111-76-2)	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Remarks on results: other:
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

: Causes damage to organs through prolonged or repeated exposure.

: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

-		-	_				-	
и	-,	-1	_	$\overline{}$	V		т.	1/
	_		_	U,	Χİ	U	ш	v

Chronic symptoms

Other information

Ecology - general		cause long-term adverse effects in the aquatic environment.
LCOIOGY - GCTICTAI		

2-butoxyethanol (111-76-2)		
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna	
LC50 - Fish [2]	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus Source: IUCLID)	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'	
Poly(oxy-1.2-ethanediyl), alpha -(4-nonylphenyl)- omega -hydroxy-, branched (127087-87-0)		

LC50 - Fish [1]	84.7 mg/l Test organisms (species): Lepomis macrochirus	
EC50 - Crustacea [1]	14 mg/l Test organisms (species): Daphnia magna	
D-Limonene (5989-27-5)		
LC50 - Fish [1]	720 μg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna	
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'	

12.2. Persistence and degradability

Citrus Surface RTU	
Persistence and degradability	Not established.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

12.3. Bioaccumulative potential

Citrus Surface RTU		
Bioaccumulative potential Not established.		
2-butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water 0.81 (at 25 °C (at pH 7)		
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched (127087-87-0)		
Partition coefficient n-octanol/water 5.669 (at 25 °C (at pH 7.5)		
D-Limonene (5989-27-5)		
Partition coefficient n-octanol/water 4.38 (at 37 °C (at pH 7.2)		

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation. The generation of waste should be $\ensuremath{\mathsf{S}}$

avoided or minimised wherever possible.

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with DOT / TDG

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable Proper Shipping Name (TDG) : Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

TDG

Transport hazard class(es) (TDG) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable Packing group (TDG) : Not applicable

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Federal regulations

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)- .omegahydroxy-, branched	CAS-No. 127087-87-0	1 – 5%
1,4-Dioxane	CAS-No. 123-91-1	< 1%
Ethylene oxide	CAS-No. 75-21-8	< 1%

Acetic acid (64-19-7)	
CERCLA RQ	5000 lb

1,4-Dioxane (123-91-1)	
Listed on EPA Hazardous Air Pollutant (HAPS)	

100 lb

Ethylene oxide (75-21-8)	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	10 lb
Section 302 EPCRA Reportable Quantity (RQ)	10 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

15.2. International regulations

No additional information available

CERCLA RQ

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

15.3. US State regulations



This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations	
2-butoxyethanol(111-76-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List	
Acetic acid(64-19-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
1,4-Dioxane(123-91-1)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
Ethylene oxide(75-21-8)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List	

SECTION 16: Other information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Revision date : 08/28/2025 Other information : None.

Full text of hazard classes and H-statements	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1

NFPA health hazard	: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	 : 0 - Material that in themselves are normally stable, even under fire conditions.
NFPA health hazard	: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

CITRUS SURFACE RTU

Danger



Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes damage to organs through prolonged or repeated exposure.

Do not breathe dust, fumes, gas, mist, vapors, or spray. Wash hands, forearms, and face thoroughly after handling. Do not eat, drink, or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, protective clothing, eye protection, and face protection. If exposed or concerned, get medical advice or attention. If on skin, wash with plenty of water and seek medical advice or attention if you feel unwell. Remove contaminated clothing and wash it before reuse. If skin irritation or rash occurs, get medical advice or attention. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do, then continue rinsing. Immediately call a poison center or doctor. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national, and/or international regulations.

▲ WARNING: This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Manufacturer

Distinctive Details Inc. 1253 Lower Elkton Rd. Columbiana, OH 44408 - USA T 1 800-711-7021 www.DistinctiveDetailsInc.com

Distributor

Add the name, address and tel. number of the Canadian manufacturer or importer who operates in Canada.

