



# Safety Data Sheet Tar Remover

Version 1.15

Revision Date: 08/01/2024

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** : Tar Remover

### Recommended use of the chemical and restrictions on use

Recommended use : Removing tar

### Supplier

**Company** : Distinctive Details, Inc.  
**Address** : 1253 Lower Elkton Road  
Columbiana OH 44408  
United States of America (USA)  
800-711-7021  
www.DistinctiveDetailsInc.com

### Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)  
CHEMTREC INTERNATIONAL Tel # 703-527-3887

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Flammable liquids : Category 3

Aspiration hazard : Category 1

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equip-  
ment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON  
CENTER/ doctor.



# Safety Data Sheet Tar Remover

Version 1.15

Revision Date: 08/01/2024

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P331 Do NOT induce vomiting.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

CAS-No.	Chemical name	Weight percent
64741-65-7 / 64742-48-9	Naphtha (petroleum), heavy alkylate AND/OR Naphtha (petroleum), hydrotreated heavy	90 - 100

Actual concentration is withheld as a trade secret  
Any Concentration shown as a range is due to batch variation.

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.



## Safety Data Sheet Tar Remover

Version 1.15

Revision Date: 08/01/2024

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
sulfur oxides  
Hydrogen sulfide  
Sulphuric acid
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.



# Safety Data Sheet Tar Remover

Version 1.15

Revision Date: 08/01/2024

Do not breathe vapours/dust.  
 Avoid contact with skin and eyes.  
 For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Take precautionary measures against static discharges.  
 Provide sufficient air exchange and/or exhaust in work rooms.  
 Open drum carefully as content may be under pressure.  
 Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage

: No smoking.  
 Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Observe label precautions.  
 Electrical installations / working materials must comply with the technological safety standards.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64741-65-7 / 64742-48-9	Naphtha (petroleum), heavy alkylate AND/OR Naphtha (petroleum), hydrotreated heavy	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0

### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.  
 In the case of vapour formation use a respirator with an approved filter.
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
 Tightly fitting safety goggles  
 Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
 When using do not smoke.  
 Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



# Safety Data Sheet

## Mineral Spirits Odorless

Version 1.15

Revision Date: 08/01/2024

Appearance	: liquid
Colour	: Clear, colorless
Odour	: hydrocarbon-like
Odour Threshold	: No data available
pH	: No data available
Freezing Point	: No data available
Boiling Point (Boiling point/boiling range)	: 175 - 188 °C (347 - 370 °F)
Flash point	: 49 °C (120 °F) Method: Closed Cup
Evaporation rate	: > 0.1 (Butyl Acetate = 1)
Flammability (solid, gas)	: No data available
Upper explosion limit	: 5 - 7 %(V)
Lower explosion limit	: 0.7 - 1 %(V)
Vapour pressure	: 0.53 mmHg @ 20 °C (68 °F)
Relative vapour density	: > 1 @ 20 - 25 °C (68 - 77 °F) (Air = 1.0)
Relative density	: 0.759 @ 15.6 °C (60.1 °F)
Density	: 0.757 g/cm <sup>3</sup> @ 15.6 °C (60.1 °F)
Solubility(ies)	
Water solubility	: negligible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 348 °C
Thermal decomposition	: No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.  Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	: Carbon oxides Sulphur oxides



# Safety Data Sheet

## Mineral Spirits Odorless

Version 1.15

Revision Date: 08/01/2024

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Components:

**64741-65-7 / 64742-48-9:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### Skin corrosion/irritation

##### Product:

Result: No skin irritation

##### Components:

**64741-65-7 / 64742-48-9:**

Species: Rabbit  
Result: Irritating to skin.

#### Serious eye damage/eye irritation

##### Product:

Result: No eye irritation

##### Components:

**64741-65-7 / 64742-48-9:**

Species: Rabbit  
Result: Irritating to eyes.

#### Respiratory or skin sensitisation

##### Components:

**64741-65-7 / 64742-48-9:**

Test Type: Buehler Test  
Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

##### Components:

**64741-65-7 / 64742-48-9:**

Germ cell mutagenicity - Assessment : Mutagenicity classification not possible from current data



# Safety Data Sheet

## Mineral Spirits Odorless

Version 1.15

Revision Date: 08/01/2024

### Carcinogenicity

#### Components:

**64741-65-7 / 64742-48-9:**

Carcinogenicity - Assessment

: Not classifiable as a human carcinogen.

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

#### Components:

**64741-65-7 / 64742-48-9:**

Reproductive toxicity - Assessment

Fertility classification not possible from current data.

Teratogenicity - Assessment

: Embryotoxicity classification not possible from current data.

### STOT - single exposure

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

**64741-65-7 / 64742-48-9:**

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### Aspiration toxicity

#### Components:

**64741-65-7 / 64742-48-9:**

May be fatal if swallowed and enters airways.

#### Further information

#### Product:

Remarks: Solvents may degrease the skin.



# Safety Data Sheet

## Mineral Spirits Odorless

Version 1.15

Revision Date: 08/01/2024

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **64741-65-7 / 64742-48-9:**

- Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l  
Exposure time: 96 h  
Test Type: semi-static test
  
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l  
Exposure time: 48 h  
Test Type: static test
  
- Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test
  
- Acute aquatic toxicity- Assessment : Toxic to aquatic life.
- Chronic aquatic toxicity- Assessment : Toxic to aquatic life with long lasting effects.

#### Persistence and degradability

##### Components:

##### **64741-65-7 / 64742-48-9:**

- Biodegradability : aerobic  
Exposure time: 28 d  
Remarks: Readily biodegradable

#### Bioaccumulative potential

##### Components:

##### **64741-65-7 / 64742-48-9:**

- Partition coefficient: n-octanol/water : log Pow: 3.3 - 5.3

#### Mobility in soil

No data available

#### Other adverse effects

##### Product:

- Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).





# Safety Data Sheet Tar Remover

Version 1.15

Revision Date: 08/01/2024

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.  
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni-var Solutions ChemCare: 1-800-637-7922

The product should not be allowed to enter drains, water courses or the soil.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

## SECTION 14. TRANSPORT INFORMATION

### DOT (Department of Transportation):

UN1268, PETROLEUM DISTILLATES, N.O.S., CBL, III

### IATA (International Air Transport Association):

UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III

### IMDG (International Maritime Dangerous Goods):

UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, Marine Pollutant (NAPHTHA (PETROLEUM), HEAVY ALKYLATE) , Flash Point:49 °C(120 °F)

**Special Notes:** : The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



# Safety Data Sheet Tar Remover

Version 1.15

Revision Date: 08/01/2024

- SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Aspiration hazard
- SARA 302** : This material does not contain any components with a section 302 EHS TPQ.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know

64741-65-7 / Naphtha (petroleum), heavy alkylate  
64742-48-9 AND/OR Naphtha (petroleum), hydrotreated heavy

- California Prop 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

- DSL** : All components of this product are on the Canadian DSL
- TSCA** : On TSCA Inventory
- AICS** : On the inventory, or in compliance with the inventory
- NZIoC** : On the inventory, or in compliance with the inventory
- ENCS** : Not in compliance with the inventory
- KECI** : On the inventory, or in compliance with the inventory
- PICCS** : On the inventory, or in compliance with the inventory



# Safety Data Sheet Tar Remover


Version 1.15

Revision Date: 08/01/2024

IECSC : On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>3/</b>
<b>FLAMMABILITY</b>	<b>2</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 =Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

**Revision Date** : 08/01/2024

**Legacy SDS:** : R0000594

### Material number:

103651, 53777, 16184356, 16184864, 16152186, 16140292, 16144047, 16216371, 16215911, 16159372, 16183130, 16180994, 16180704, 16144146, 16150829, 16160857, 16165463, 16137275, 16141181, 16140048, 16144177, 16136295, 16135472, 16159280, 16143352, 16141453, 16141645, 16141821, 16142558, 16109599, 16100483, 16098887, 16083457, 20097, 86531, 16061589, 16056559, 16056561, 16056560, 16061791, 547042, 635873, 783249, 501966, 20095, 86039, 554063, 775827, 16026811, 16009323, 70181, 53278, 87264, 20101, 16007246, 86619, 86036, 784578, 153243, 54503, 592411, 16036243, 576376, 508208, 102992, 20096, 623658, 16036544, 86610, 506279, 16030187, 594059, 554318, 554250, 554249, 554202, 554127, 554092, 554083, 504043, 16010280, 20094, 69661, 70153, 86042, 508612, 102943, 102915, 103650, 70235, 53849, 102910, 54506, 508209

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency



## Safety Data Sheet Tar Remover

Version 1.15

Revision Date: 08/01/2024

NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		