

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** : Shop Buddy Bulk

**Recommended use of the chemical and restrictions on use**

Recommended use : Solvent.

**Manufacturer or supplier's details**

**Company** : Distinctive Details, Inc.  
**Address** : 1253 Lower Elkton Road  
 Columbiana OH 44408  
 United States of America (USA)

**Emergency telephone number:**

Transport North America: CHEMTREC (1-800-424-9300)  
 CHEMTREC INTERNATIONAL Tel # 703-527-3887

**Additional Information:** SDS Requests: 1-800-711-7021 Website:  
[www.DistinctiveDetailsInc.com](http://www.DistinctiveDetailsInc.com)

### SECTION 2. HAZARDS IDENTIFICATION

**GHS Classification**

Flammable liquids : Category 2

Skin irritation : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Auditory system, Eyes)

Aspiration hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H336 May cause drowsiness or dizziness.

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.  
P281 Use personal protective equipment as required.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  
**Storage:**  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

### Hazardous components

CAS-No.	Chemical name	Weight percent
64742-49-0 / 426260-76-6 / 64742-89-8	Naphtha (pet), hydrotreated It AND/OR Heptane, branched, cyclic and linear AND/OR Solvent naphtha (pet), It aliph.	90 - 100
142-82-5	Heptane	30 - 50
108-88-3	Toluene	1 - 5

Actual concentration is withheld as a trade secret  
Any Concentration shown as a range is due to batch variation.

**Special Notes:** : \*\* Other substances in the product which may present a health or environmental hazard.

---

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

	Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known
Specific extinguishing methods	: Use a water spray to cool fully closed containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	: Avoid formation of aerosol.

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

Do not breathe vapours/dust.  
 Avoid exposure - obtain special instructions before use.  
 Avoid contact with skin and eyes.  
 For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Take precautionary measures against static discharges.  
 Provide sufficient air exchange and/or exhaust in work rooms.  
 Open drum carefully as content may be under pressure.  
 Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.  
 Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Observe label precautions.  
 Electrical installations / working materials must comply with the technological safety standards.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64742-49-0 / 426260-76-6 / 64742-89-8	Naphtha (pet), hydrotreated It AND/OR Heptane, branched, cyclic and linear AND/OR Solvent naphtha (pet), It aliph.	TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH
142-82-5	Heptane	TWA	85 ppm 350 mg/m3	NIOSH REL
		C	440 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		STEL	500 ppm 2,000 mg/m3	OSHA P0
108-88-3	Toluene	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m3	NIOSH REL
		ST	150 ppm 560 mg/m3	NIOSH REL
		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm	OSHA Z-2
		TWA	100 ppm 375 mg/m3	OSHA P0

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

		STEL	150 ppm 560 mg/m <sup>3</sup>	OSHA P0
64742-49-0 / 426260-76-6 / 64742-89-8	Naphtha (pet), hydrotreated It AND/OR Heptane, branched, cyclic and linear AND/OR Sol- vent naphtha (pet), It aliph.	TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH
142-82-5	Heptane	TWA	85 ppm 350 mg/m <sup>3</sup>	NIOSH REL
		C	440 ppm 1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
		STEL	500 ppm 2,000 mg/m <sup>3</sup>	OSHA P0
108-88-3	Toluene	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m <sup>3</sup>	NIOSH REL
		ST	150 ppm 560 mg/m <sup>3</sup>	NIOSH REL
		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm	OSHA Z-2
		TWA	100 ppm 375 mg/m <sup>3</sup>	OSHA P0
		STEL	150 ppm 560 mg/m <sup>3</sup>	OSHA P0

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
In the case of vapour formation use a respirator with an approved filter.

### Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colorless
Odour	: mild
Odour Threshold	: No data available
pH	: No data available
Freezing Point	: No data available
Boiling Point (Boiling point/boiling range)	: 88 °C (190 °F)
Flash point	: -9 °C (16 °F) Method: Tag closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: 6.7 %(V)
Lower explosion limit	: 1.2 %(V)
Vapour pressure	: 51.71 mmHg @ 37.8 °C (100.0 °F)
Relative vapour density	: 3.50(Air = 1.0)
Relative density	: 0.697 @ 15.6 °C (60.1 °F) Reference substance: (water = 1)
Density	: No data available
Solubility(ies) Water solubility	: negligible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

### SECTION 10. STABILITY AND REACTIVITY

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: halogens Oxygen peroxides Strong oxidizing agents

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

##### Components:

###### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 73.5 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

###### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 73.5 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

#### Skin corrosion/irritation

##### Product:

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

Result: Irritating to skin.

### **Components:**

#### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Species: Rabbit

Exposure time: 24 h

Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

#### **142-82-5:**

Species: Rabbit

Exposure time: 24 h

Result: Irritating to skin.

Remarks: Based on a similar product formulation.

#### **108-88-3:**

Species: Rabbit

Exposure time: 4 h

Result: Irritating to skin.

#### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Species: Rabbit

Exposure time: 24 h

Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

#### **142-82-5:**

Species: Rabbit

Exposure time: 24 h

Result: Irritating to skin.

Remarks: Based on a similar product formulation.

#### **108-88-3:**

Species: Rabbit

Exposure time: 4 h

Result: Irritating to skin.

### **Serious eye damage/eye irritation**

### **Components:**

#### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Result: No eye irritation

#### **108-88-3:**

Species: Rabbit

Result: Irritating to eyes.

#### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Result: No eye irritation

:

Species: Rabbit

Result: Irritating to eyes.

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

### Respiratory or skin sensitisation

#### Components:

##### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Test Type: Maximization test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Remarks: Based on a similar product formulation.

##### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Test Type: Maximization test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Remarks: Based on a similar product formulation.

### Germ cell mutagenicity

#### Components:

##### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Germ cell mutagenicity - Assessment : Mutagenicity classification not possible from current data

##### **108-88-3:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

##### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Germ cell mutagenicity - Assessment : Mutagenicity classification not possible from current data

:

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Carcinogenicity

#### Components:

##### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **108-88-3:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

##### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### IARC

No component of this product present at levels greater than or

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/232023

equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

#### Components:

##### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Reproductive toxicity - Assessment : Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

##### **108-88-3:**

Effects on foetal development : Species: Rat  
Application Route: inhalation (vapour)  
Dose: 0, 250, 750, 1500, 3000 ppm  
Duration of Single Treatment: 10 d  
Frequency of Treatment: 6 hr/day  
General Toxicity Maternal: NOAEC: 750 ppm  
Developmental Toxicity: NOAEC: 750 ppm  
Symptoms: Maternal toxicity, Reduced body weight, Skeletal malformations

Teratogenicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **64742-49-0 / 426260-76-6 / 64742-89-8:**

Reproductive toxicity - Assessment : Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

:

Effects on foetal development : Species: Rat  
Application Route: inhalation (vapour)  
Dose: 0, 250, 750, 1500, 3000 ppm  
Duration of Single Treatment: 10 d  
Frequency of Treatment: 6 hr/day  
General Toxicity Maternal: NOAEC: 750 ppm  
Developmental Toxicity: NOAEC: 750 ppm

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

Symptoms: Maternal toxicity, Reduced body weight, Skeletal malformations

Teratogenicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT - single exposure

#### Components:

**64742-49-0 / 426260-76-6 / 64742-89-8:**

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**142-82-5:**

Target Organs: Central nervous system

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**108-88-3:**

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**64742-49-0 / 426260-76-6 / 64742-89-8:**

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**142-82-5:**

Target Organs: Central nervous system

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**108-88-3:**

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### STOT - repeated exposure

#### Components:

**108-88-3:**

Exposure routes: Inhalation

Target Organs: Auditory system, Eyes

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

Assessment: May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

:

Exposure routes: Inhalation

Target Organs: Auditory system, Eyes

Assessment: May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Aspiration toxicity

#### Components:

**64742-49-0 / 426260-76-6 / 64742-89-8:**

May be fatal if swallowed and enters airways.

**142-82-5:**

May be fatal if swallowed and enters airways.

**108-88-3:**

May be fatal if swallowed and enters airways.

**64742-49-0 / 426260-76-6 / 64742-89-8:**

May be fatal if swallowed and enters airways.

**142-82-5:**

May be fatal if swallowed and enters airways.

**108-88-3:**

May be fatal if swallowed and enters airways.

### Further information

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects.

Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

**64742-49-0 / 426260-76-6 / 64742-89-8:**

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 4 mg/l  
Exposure time: 24 h

Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 48 h

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

	Test Type: static test
	Remarks: Information given is based on data obtained from similar substances.
Toxicity to algae	: EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 3.7 mg/l Exposure time: 96 h Test Type: static test
Acute aquatic toxicity- Assessment	: Very toxic to aquatic life.
Chronic aquatic toxicity- Assessment	: Very toxic to aquatic life with long lasting effects.
<b>142-82-5:</b>	
Toxicity to fish	: LC50 ( <i>Carassius auratus</i> (goldfish)): 4 mg/l Exposure time: 24 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): 1.5 mg/l Exposure time: 48 h Test Type: static test
Toxicity to fish (Chronic toxicity)	: NOELR ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 1.284 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC ( <i>Daphnia magna</i> (Water flea)): 0.17 mg/l Exposure time: 21 d
Acute aquatic toxicity- Assessment	: Very toxic to aquatic life.
Chronic aquatic toxicity- Assessment	: Very toxic to aquatic life with long lasting effects.
<b>108-88-3:</b>	
Toxicity to fish	: LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 5.5 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates	: LC50 ( <i>Ceriodaphnia dubia</i> ): 3.78 mg/l Exposure time: 48 h Test Type: Renewal
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.74 mg/l Exposure time: 7 d
Acute aquatic toxicity- Assessment	: Toxic to aquatic life.
Chronic aquatic toxicity- Assessment	: Harmful to aquatic life with long lasting effects.

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

### 64742-49-0 / 426260-76-6 / 64742-89-8:

- Toxicity to fish : LC50 (Carassius auratus (goldfish)): 4 mg/l  
Exposure time: 24 h  
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 48 h  
Test Type: static test  
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 3.7 mg/l  
Exposure time: 96 h  
Test Type: static test
- Acute aquatic toxicity- Assessment : Very toxic to aquatic life.
- Chronic aquatic toxicity- Assessment : Very toxic to aquatic life with long lasting effects.

### 142-82-5:

- Toxicity to fish : LC50 (Carassius auratus (goldfish)): 4 mg/l  
Exposure time: 24 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 48 h  
Test Type: static test
- Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): 1.284 mg/l  
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.17 mg/l  
Exposure time: 21 d
- Acute aquatic toxicity- Assessment : Very toxic to aquatic life.
- Chronic aquatic toxicity- Assessment : Very toxic to aquatic life with long lasting effects.

### 108-88-3:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l  
Exposure time: 96 h  
Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia): 3.78 mg/l  
Exposure time: 48 h  
Test Type: Renewal
- Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC: 0.74 mg/l  
Exposure time: 7 d

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

ic toxicity)

Acute aquatic toxicity- Assessment : Toxic to aquatic life.

Chronic aquatic toxicity- Assessment : Harmful to aquatic life with long lasting effects.

### Persistence and degradability

#### Components:

**64742-49-0 / 426260-76-6 / 64742-89-8:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Biodegradation: 74.30 %  
Exposure time: 56 d  
Remarks: Inherently biodegradable.

**64742-49-0 / 426260-76-6 / 64742-89-8:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Biodegradation: 74.30 %  
Exposure time: 56 d  
Remarks: Inherently biodegradable.

### Bioaccumulative potential

#### Components:

**64742-49-0 / 426260-76-6 / 64742-89-8:**

Partition coefficient: n-octanol/water : log Pow: 2.13 - 4.85 (25 °C)

**108-88-3:**

Partition coefficient: n-octanol/water : log Pow: 2.73 (20 °C)  
pH: 7

**64742-49-0 / 426260-76-6 / 64742-89-8:**

Partition coefficient: n-octanol/water : log Pow: 2.13 - 4.85 (25 °C)

:

Partition coefficient: n-octanol/water : log Pow: 2.73 (20 °C)  
pH: 7

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

### Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.  
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni-var Solutions ChemCare: 1-800-909-4897

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

## SECTION 14. TRANSPORT INFORMATION

**DOT (Department of Transportation):**  
UN1206, HEPTANES, 3, II

**IATA (International Air Transport Association):**  
UN1206, HEPTANES, 3, II

**IMDG (International Maritime Dangerous Goods):**  
UN1206, HEPTANES, 3, II, Marine Pollutant (NAPHTHA (PETROLEUM), HYDROTREATED LIGHT, HEPTANE) ,  
Flash Point:-9 °C(16 °F)

## SECTION 15. REGULATORY INFORMATION

**WHMIS Classification** : B2: Flammable liquid  
D2A: Very Toxic Material Causing Other Toxic Effects  
D2B: Toxic Material Causing Other Toxic Effects

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Toluene	108-88-3	1000	*

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Skin corrosion or irritation  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)  
Aspiration hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

108-88-3 Toluene

### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

108-88-3 Toluene  
100-41-4 Ethylbenzene  
71-43-2 Benzene  
98-82-8 Cumene  
91-20-3 \*\*Naphthalene

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489):

108-88-3 Toluene  
100-41-4 Ethylbenzene  
71-43-2 Benzene  
98-82-8 Cumene

### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

108-88-3 Toluene  
100-41-4 Ethylbenzene  
71-43-2 Benzene  
91-20-3 \*\*Naphthalene

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

108-88-3 Toluene  
100-41-4 Ethylbenzene  
71-43-2 Benzene  
91-20-3 \*\*Naphthalene

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

108-88-3 Toluene

### Massachusetts Right To Know

142-82-5 Heptane  
108-88-3 Toluene  
71-43-2 Benzene

### Pennsylvania Right To Know

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

64742-49-0 /	Naphtha (pet), hydrotreated It AND/OR
426260-76-6 /	Heptane, branched, cyclic and linear
64742-89-8	AND/OR Solvent naphtha (pet), It aliph.
142-82-5	Heptane
108-88-3	Toluene
100-41-4	Ethylbenzene

### California Prop 65


**⚠ WARNING:** This product can expose you to chemicals including Ethylbenzene, Benzene, Cumene, \*\*Naphthalene, which is/are known to the State of California to cause cancer, and Toluene, Benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become

# Safety Data Sheet

## 2961 Shop Buddy Bulk

Version 1.0

Revision Date: 04/23/2023

available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

**Revision Date** : 02/13/2023

<b>Key or legend to abbreviations and acronyms used in the safety data sheet</b>			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System

**Safety Data Sheet**  
**2961 Shop Buddy Bulk**

Version 1.0

Revision Date: 04/23/2023

---

LC50	Lethal Concentration 50%		
------	--------------------------	--	--