

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Issue date: 2025-05-29 Revision date: 2025-05-29

Version: 1.0

## **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture
Product name : Instant Hero
Product code : 3513

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Ceramic Detail Spray Restrictions on use : Industrial use

#### 1.3. Manufacturer

#### Manufacturer

Distinctive Details Inc. 1253 Lower Elkton Rd. Columbiana, OH 44408 T 1 800-711-7021

www.DistinctiveDetailsInc.com

## 1.4. Emergency telephone number

Emergency number : 1-800-424-9300 (Chemtrec 24 Hr. Emergency Line)

## **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

#### **GHS** classification

Not classified.

## 2.2. GHS Label elements, including precautionary statements

#### **GHS** labelling

No labelling applicable

## 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity

Not applicable

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

#### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Diethylene glycol monobutyl ether	Diethylene glycol monobutyl ether Butoxydiglycol / Butyl carbitol / Butyl dioxitol / Diethylene glycol butyl ether / Ethanol, 2-(2- butoxyethoxy)- / 2-(2-Butoxyethoxy)ethanol / Diethylene glycol mono-n-butyl ether / BUTOXYDIGLYCOL / Butyl diglycol / Diglycol monobutyl ether / Decan-1-ol, 3,6-dioxa- / BDG / Dowanol DB / Butyl carbitol (diethylene glycol monobutyl ether) / Monobutyl ether of diethyleneglycol / Monobutyl ether of diethylene glycol	CAS-No.: 112-34-5	1 – 5
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl methyl, dimethyl, methoxy-terminated	Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl methyl, dimethyl, methoxy-terminated Siloxanes and silicones, 3-[(2-aminoethyl)amino]propyl methyl, dimethyl, methoxy-terminated	CAS-No.: 102782-92-3	0.5 – 1.5

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for
	breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation
	persists.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious

person. Get medical advice/attention if you feel unwell.

## 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### 4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : high volume water jet.

## 5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

 Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

## 6.2. Environmental precautions

Prevent entry to sewers and public waters.

## 6.3. Methods and material for containment and cleaning up

For containment

: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up

: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures

: Wash contaminated clothing before reuse. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Instant Hero

No additional information available

#### Diethylene glycol monobutyl ether (112-34-5)

#### **USA - ACGIH - Occupational Exposure Limits**

Local name Diethylene glycol monobutyl ether

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Diethylene glycol monobutyl ether (112-34-5)		
ACGIH OEL TWA [ppm]	10 ppm (inhalable fraction and vapor)	
Remark (ACGIH)	TLV® Basis: Hematologic, liver & kidney eff	
Regulatory reference	ACGIH 2020	
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl methyl, dimethyl, methoxy-terminated (102782-92-3)		
No additional information available		

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear suitable gloves. Consult glove manufacturer's product information on material suitability and material thickness.

#### Eye protection:

Safety glasses or goggles are recommended when using product.

#### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available

Odour : No data available

Odour threshold : No data available

pH : 6.85

Melting point : No data available

Freezing point : No data available

Freezing point No data available No data available Boiling point Flash point No data available Relative evaporation rate (butylacetate=1) No data available Flammability : Not flammable. : No data available Vapour pressure Relative vapour density at 20°C / 68 °F : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Heat. Direct sunlight. Incompatible materials.

#### 10.5. Incompatible materials

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Strong oxidizing agents. Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.
Acute toxicity (dermal) : Not classified.
Acute toxicity (inhalation) : Not classified.

Diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	5660 mg/kg
LD50 dermal rabbit	2700 mg/kg
ATE CA (oral)	5660 mg/kg bodyweight
ATE CA (Dermal)	2700 mg/kg bodyweight
Skin corrosion/irritation :	Not classified.

Skin corrosion/irritation : Not classified. pH: 6.85

Serious eye damage/irritation : Not classified.

pH: 6.85
: Not classified.
: Not classified.

: Not classified.

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Reproductive toxicity : Not classified.

STOT-single exposure : Not classified.

STOT-repeated exposure : Not classified.

OTOT repeated exposure	. Not diassified.
Diethylene glycol monobutyl ether (	112-34-5)
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Diethylene glycol monobutyl ether (112-34-5)	
LC50 - Fish [1]	1300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)

## 12.2. Persistence and degradability

Instant Hero	
Persistence and degradability	Not established.

## 12.3. Bioaccumulative potential

Instant Hero		
Bioaccumulative potential	Not established.	
Diethylene glycol monobutyl ether (112-34-5)		
BCF - Fish [1]	(no bioconcentration expected)	
Partition coefficient n-octanol/water	1 (at 20 °C (at pH 7)	

## 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : No other effects known.

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

#### **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## **SECTION 14: Transport information**

In accordance with DOT / TDG

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable

## 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

**TDG** 

Transport hazard class(es) (TDG) : Not applicable

### 14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

## 14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1 Federal regulations

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

#### 15.2. International regulations

No additional information available

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
2-butoxyethanol(111-76-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
oxydipropanol(25265-71-8)	U.S Pennsylvania - RTK (Right to Know) List
Acetic acid(64-19-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List

## **SECTION 16: Other information**

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Revision date : 05/29/2025 Other information : None.

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard


beyond that of ordinary combustible materials.0 - Materials that will not burn under typical fire conditions, including

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and

sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire

conditions.



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

# **INSTANT HERO**

## Manufacturer

Distinctive Details Inc. 1253 Lower Elkton Rd. Columbiana, OH 44408 T 1 800-711-7021 www.DistinctiveDetailsInc.com

