



Product Name: **EXCEL GOLD PASTE WAX**

Revision Date: 04/30/2024

Page 1 of 4

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Code** 35201  
**Product Name** EXCEL GOLD PASTE WAX  
**Recommended Use** CAR CARE

**Supplier**

Distinctive Details, Inc.  
1253 Lower Elkton Road  
Columbiana, OH 44408

Telephone Number: +1 800-711-7021

Emergency Phone Number: +1 800-424-9300 (Chemtrec 24 Hours)

## 2. HAZARDS IDENTIFICATION

Potential health Effects

**Classification of Chemical in accordance with paragraph (d) of §1910.1200;**

GHS Hazard Symbols



**GHS Classification:** Flammable Solid Category 1

**Signal Word:** Danger

**Hazard statements:** Flammable Solid

**Precautionary Statement:**

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces.- No smoking  
Ground /bond container and receiving equipment  
P241- Use explosion-proof electrical, ventilating and lighting equipment  
Wear Protective gloves/protective clothing/eye protection/face protection.

**Response:** P370+P378- In case of fire: use proper media to extinguish

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS Number	% Wt
Isoparaffinic Hydrocarbons	Mixture	~80%
Silicones	63148-62-9	~10%
Waxes	Mixture	>10%

**HMIS® III RATING /NFPA**

**Health: 1**

**Flammability: 2**

**Physical: 0**

**Personal Protective Equipment: See Sec. 8**

## 4. FIRST AID MEASURES

**Eye Contact:** Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.



Product Name: **EXCEL GOLD PASTE WAX**

Revision Date: 04/30/2024

Page 2 of 4

**Skin Contact:** In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.

**Ingestion: DO NOT INDUCE VOMITING.** Aspiration into the lungs can cause serious damage. Obtain medical attention immediately. If vomiting occurs, keep head below hips to prevent aspiration of liquid into lungs.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention

**NOTES TO PHYSICIAN:** *This material is an aspiration hazard. Preexisting disorders of the following organs (or organ systems) maybe aggravated by exposure to this material: skin; lung (for example, asthma-like conditions):*

## 5. FIRE-FIGHTING MEASURES

**Fire and/or Explosion hazards:** This product contains a component(s) that is considered a combustible liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights or other flames and ignition sources at locations distant from the material's handling point. Hazardous decomposition product may be formed (see Sec.10)

**Fire-Fighting Instructions:** Use CO<sub>2</sub>, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

## 6. ACCIDENTAL RELEASE MEASURES

### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent material into container and close tightly. Dispose of container properly.

## 7. HANDLING AND STORAGE

**Handling:** Do not use near ignition sources. Avoid prolonged or repeated contact with skin. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Wash thoroughly after handling.

**Storage:** Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from sources of ignition. Empty container may contain residues which are hazardous. Keep from extreme temperatures. Store away from heat and direct sunlight.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering controls:** Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effect).

**Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and /or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.

**Skin Protection:** The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with the skin.

**Respiratory Protection:** Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol. A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits.

COMPONENT:	CAS#	ACGIH TLV	OSHA PEL	OTHER
Petroleum distillates	64741-65-7	100ppm TWA	500ppm	Not established



Product Name: **EXCEL GOLD PASTE WAX**

Revision Date: 04/30/2024

Page 3 of 4

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### General Information

<b>Physical State</b>	Creamy Solid
<b>Appearance</b>	Yellow
<b>Odor</b>	Fraise des Bois Fragrance
<b>Odor Threshold</b>	Mild

### Important Health, Safety and Environmental Information

<b>Vapor Pressure</b>	<5mm Hg at 68°F
<b>Vapor Density (Air=1)</b>	>1
<b>Density</b>	7.273 lbs/gal
<b>Specific Gravity (H<sub>2</sub>O= 1, at 4°C)</b>	0.871
<b>pH</b>	Not Applicable
<b>Water Solubility</b>	Not Determined
<b>Partial Coefficient: n-Octanol/water</b>	No data Available
<b>Boiling Point</b>	No data Available
<b>Viscosity</b>	unknown
<b>Flammability (solid, Gas):</b>	No data available
<b>Lower Flammability Limit (%):</b>	0.6
<b>Upper Flammability Limit (%):</b>	7
<b>% VOCs</b>	60-80%
<b>Evaporation Rate</b>	Not Determined
<b>Flash Point:</b>	102° F
<b>Flash Point Method:</b>	PMCC
<b>Auto-ignition Temperature:</b>	500°F

### Other Information

<b>Freezing/Melting Point</b>	No data available /147°-155°F
-------------------------------	-------------------------------

## 10. STABILITY AND REACTIVITY

**Stability:** Stable.

**Conditions to Avoid:** Avoid contact with Strong oxidizing agents. Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Excessive Heat.

**Decomposition Products:** Burning can produce the following combustion products: Carbon dioxide and Carbon monoxide. Various Hydrocarbons. Carbon monoxide. When heated to temperatures above 150°F in the presence of air, one of the ingredients in this product can form formaldehyde vapors. Formaldehyde vapors is harmful by inhalation; irritating to the eyes; sensitizer to the respiratory system; an acute toxicant and a potential cancer hazard at concentrations greater than 0.75 ppm. Oxides of siloxanes.

## 11. TOXICOLOGICAL INFORMATION

**Reproductive & Developmental Toxicity:** No Data Available.

**IARC Carcinogen Designation:** No Data Available.

<b>Ingredients</b>	<b>CAS#</b>	<b>Toxicological Data:</b>
No Data Available		



Product Name: **EXCEL GOLD PASTE WAX**

Revision Date: 04/30/2024

Page 4 of 4

## 12. ECOLOGICAL INFORMATION

**Ecological Toxicity:** This material is not expected to be harmful to the ecology.  
**Mobility:** No Data Available

<b>Ingredients</b>	<b>CAS#</b>	<b>Toxicological Data:</b>
Petroleum Distillates	64741-65-7	Aquatic LC50 BI gill> 1000 mg/L 24 HR EC Daphnia > 1000 mg/L 24 HR EC50 Aquatic Plants > 1000 mg/L

## 13. DISPOSAL CONSIDERATIONS

**Disposal:** Contact your supplier or a licensed contractor for detailed recommendations. Check local regulations. Dispose according to Federal, State and local regulations.

## 14. TRANSPORT INFORMATION

Agency:	UN Number	Proper Shipping name	Hazard Class	Packing group
DOT:	UN1325	Flammable Solids, n.o.s. (Mineral Spirits)*	4.1	II
IMDG:	UN1325	Flammable Solids, n.o.s. (Mineral Spirits)*	4.1	II
IATA:	UN1325	Flammable Solids, n.o.s. (Mineral Spirits)*	4.1	II

\*Limited Quantities may be applicable for this transportation mode.

## 15. REGULATORY INFORMATION

**SARA Section 313:** No Components listed  
**TSCA inventory:** All Components are listed  
**California Prop 65:** This products contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

## 16. OTHER INFORMATION

**Prepared By** Distinctive Details, Inc.  
**Issuing Date** 3/28/2024  
**Revision Note** Not applicable  
**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.