



SAFETY DATA SHEET - SDS

| | |
|------------------|----------------------------|
| SECTION 1 | PRODUCT INFORMATION |
|------------------|----------------------------|

Product Name: 3929 SOUND GUARD Auto Undercoat Date of preparation: September 1, 2020
 Product Use: CLEANING COMPOUND, N.O.I.
 Supplier: DISTINCTIVE DETAILS, INC
 1253 Lower Elkton Road
 Columbiana, OH 44408
 1-800-711-7021
 EMERGENCY PHONE: CHEM-TREC CCN6739 1.800.424.9300 (outside USA 703.527.3887)
 This product contains no phosphates
 This product contains no NPEO (nonylphenol polyethoxylate)

| | |
|------------------|-------------------------------|
| SECTION 2 | HAZARDS IDENTIFICATION |
|------------------|-------------------------------|

| | |
|--|-------------|
| GHS – Classification | |
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (repeated exposure) | Category 1 |
| Aspiration toxicity | Category 1 |
| Flammable liquids | Category 3 |

GHS label elements



Hazard pictograms

Signal word

DANGER

Hazard statements

H225: Highly flammable liquid and vapor
 H304: May be fatal if swallowed and enters airways
 H315: Causes skin irritation
 H317: May cause an allergic skin reaction
 H350: May cause cancer

Precautionary statements

P102: Keep out of the reach of children
 P103: Read product label before using
 P201: Obtain special instructions before use.

- P202: Do not handle until all safety precautions have been read and understood.
- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211: Do not spray on an open flame or other ignition source.
- P233: Keep container tightly closed.
- P240: Ground/bond container and receiving equipment.
- P242: Use only non-sparking tools.
- P243: Take precautionary measures against static discharge.
- P261: Avoid breathing vapors
- P264: Wash hands after handling
- P270: Do not eat, drink or smoke when using this product.
- P280: Wear protective gloves, protective clothing and eye protection.
- P281: Use person protective equipment as required
- P331: Do not induce vomiting
- P303+P361+P353: If on skin (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.
- P362: Take off contaminated clothing and wash before reuse.
- P370 + P378: In case of fire: use dry chemical, foam or water spray for extinction.
- P391: Collect spillage
- P403 + P235: Store in a well-ventilated place. Keep cool.
- P501: Dispose of container / contents to approved disposal site in accordance with all local and national regulations.

Potential Health Effects
Carcinogenicity: IARC

Group B: Possible carcinogenic to humans
Group 2B: Possible carcinogenic to humans

Route of Entry:

Target Organs:

English: No available information
Español: No hay nada información
Français: Aucun renseignement disponible

Inhalation:

English: May cause mild irritation.
Español: Puede causar irritación leve.
Français: Peut provoquer l'irritation sévère.

Skin Contact:

English: May cause mild skin irritation
Español: Irritante de Piel
Français: Peut provoquer une peau douce irritantes

Eye Contact:

English: May cause mild irritation.
 Español: Puede causar irritación leve.
 Français: Peut provoquer l'irritation sévère.

Ingestion:
 English: May cause irritation to the mucous membranes.
 Español: Es posible causar irritación a las mucosas.
 Français: Peut entraîner une irritation pour les muqueuses.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient/Chemical Name | CAS # | Weight |
|---------------------------------------|------------|------------|
| Asphalt (at Ambient Temperature) | 8052-42-4 | 50 - 60% * |
| Mineral Spirits (with < 0.1% Benzene) | 8052-41-3 | 30 - 40% * |
| Hydrated Aluminum-Magnesium Silicate | 12174-11-7 | 0 - 10% * |
| Alkyl Amine Acetate | 28701-67-9 | 0 - 10% * |
| Nonane | 111-84-2 | 0 - 10% * |
| QUARTZ 1 | 4808-60-7 | 0 - 10% |

SECTION 4 FIRST AID MEASURES

Self-protection of the first aider **First aider. Pay attention to self-protection.**

Inhalation:
 English: If breathing is difficult or irritating, move person to fresh air immediately.
 Español: Si respiración está difícil o irritante, se mueva la persona al aire fresco inmediatamente.
 Français: En cas de difficultés respiratoires ou d'irritation, transporter immédiatement la personne à l'air frais.

Skin Contact:
 English: Rinse area with soap and water.
 Español: Enjuaga el área con jabon y agua.
 Français: La région de rinçage avec le savon et l'eau.

Eye Contact:
 English: Flush immediately with large amounts of clean water for a minimum of 15 minutes, lifting upper and lower lids occasionally. Do not rub eyes. If any irritation persists, seek medical attention.
 Español: Vacie inmediatamente con mucho agua limpio por un mínimo de 15 minutos, levantándose los párpados superiores y inferiores de vez en cuando. No se frote los ojos. Si la irritación persiste, busque la atención médica inmediatamente.
 Français: Rincer immédiatement à grande eau propres pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps à autre. Ne pas se frotter les yeux. Si une irritation persiste, chercher l'attention médicale.

Ingestion:
 English: Harmful or fatal if swallowed. If swallowed, do not induce vomiting: seek medical advice.
 Español: De ser ingerido, no induzca vómitos: busque el consejo médico inmediatamente y muestre este contenedor o etiqueta.

Français: Si avalé, n'incitez pas de vomissement : cherchez le conseil médical tout de suite et montrez ce récipient ou étiquette.

SECTION 5

FIRE FIGHTING MEASURES

| | |
|---------------------------------------|--|
| Suitable extinguishing media: | Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media: | High volume water jet |
| Specific hazards during firefighting: | Do not allow run-off from firefighting to enter drains or water courses. |
| Hazardous combustion products: | No hazardous combustion products are known |
| Specific extinguishing methods: | Use a water spray to cool fully closed containers. |
| Further information: | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. |

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored separately in closed containments.

| | |
|--|--|
| Special protective equipment for firefighters: | Wear self-contained breathing apparatus for firefighting if necessary. |
|--|--|

SECTION 6

ACCIDENTAL RELEASE MEASURES

| | |
|----------|--|
| English: | Eliminate all ignition sources (flames, pilot lights, electrical sparks, static charges) and ventilate the area. Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in a chemical waste containers using non-sparking tools. Flush residual spill area with large amounts of water. Dispose of all clean up material in accordance with all applicable federal, state and local health and environmental regulations. |
|----------|--|

| | |
|----------|--|
| Español: | Elimine todas las fuentes de ignición (llamas, pilotos, chispas eléctricas, gastos estáticos) y ventile el área. Contenga caídas grandes con diques para prevenir la entrada a canales y alcantarillas sanitarias y transferir el material para asignar contenedores para rescate o disposición. Absorba/atrape material restante o pequeñas caídas con el material inerte (suciedad, arena, absorbente industrial) y luego coloque en unos instrumentos de no chispazo de utilización de contenedores de desecho químicos. Limpie con agua el área de caída residual con cantidades grandes del agua. |
|----------|--|

Elimine todos limpien el material de acuerdo con todo el federal aplicable, salud estatal y local y regulaciones ambientales.

Français: Éliminer toutes les sources d'allumage (flammes, flammes d'allumage, étincelles électriques, charges statiques) et ventiler la zone. Contenir les déversements majeurs avec des digues afin d'éviter qu'ils ne pénètrent les voies d'eau et les égouts sanitaires. Transférer les matériaux dans des conteneurs appropriés aux fins de réclamation ou d'élimination. Absorber/cerner les matériaux restants ou les déversements mineurs avec des matériaux inertes (impuretés, sable, absorbant industriel) et les placer ensuite dans des conteneurs pour déchets chimiques en se servant d'outils anti-étincelants Rincer la zone de déversement résiduel à grande quantité d'eau Procéder à la mise au rebut des matériaux de nettoyage conformément à toutes les réglementations sanitaires et environnementales au niveau national, régional et local.

SECTION 7

HANDLING AND STORAGE

Handling Precautions:

English: Wear proper Personal Protective Equipment when handling. Ground container. Use only non-sparking tools.

Español: Lleve puesto el Equipo Protector Personal apropiado manejando. Contenedor de tierra. Utilice únicamente herramientas que no produciendo chispas.

Français: Portez l'Équipement Protecteur Personnel nécessaire en manipulant. Conteneur de Ground. Utilisez uniquement des outils anti-étincelles.

Storage Requirements:

English: Keep away from children. Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Español: Mantiene a distancia los niños. Mantener alejado de / chispas / llamas al descubierto / superficies calientes. No Fumar.

Français: Tenir à l'écart des enfants. Tenir loin de la / des étincelles / des flammes nues / des surfaces chaudes. Interdiction de fumer

SECTION 8

EXPOSURE CONTROL/PERSONAL PROTECTION

Exposure Controls

English: Local exhaust recommended.

Español: Extractor local está recomendado

Français: Évacuation locale recommandée.

Protective Equipment:

English: Do not store in direct sunlight. Keep away from heat, open flames or other sources of ignition. Keep away from children. Keep containers tightly closed.

Español: No almacene en la luz directa del sol. Consérvese lejos de calor, llamas abiertas u otras fuentes de la ignición. Mantiene a distancia los niños. Mantiene que los contenedores están cerrados muy bien.

Français: Ne pas entreposer directement à la lumière du jour. Tenez éloigné de la chaleur, les flammes ouvertes ou d'autres sources d'ignition. Tenir à l'écart des enfants. Bien fermer les conteneurs. Les matériaux exposés à l'air peuvent absorber l'eau.

| | |
|------------------|---|
| SECTION 9 | PHYSICAL AND CHEMICAL PROPERTIES |
|------------------|---|

| | | |
|----------------------|----------------------|--|
| Physical State: | Liquid | Appearance and odor: Viscous black liquid, solvent |
| Flash Point: | > 105 F, (40.5 C) | Boiling Point: +350 F |
| Specific Gravity: | 0.782 | |
| Vapor Pressure: | .62 mm Hg @ at 100 F | Evaporation Rate: ND |
| Vapor Density: | 0.72, 61 F | pH: n/a |
| Solubility in water: | Not soluble | Freeze Point: n/a |

| | |
|-------------------|---------------------------------|
| SECTION 10 | STABILITY AND REACTIVITY |
|-------------------|---------------------------------|

| | |
|------------|-----|
| Stability: | |
| English: | Yes |
| Español: | Si |
| Français: | Oui |

Conditions to avoid:

| | |
|-----------|--|
| English: | Keep away from ignition sources, heat, sparks or flames. |
| Español: | Consérvese lejos de fuentes de ignición, calor, chispas o llamas. |
| Français: | Tenez éloigné des sources d'ignition, la chaleur, les étincelles ou les flammes. |

Materials to avoid (incompatibility):

| | |
|-----------|----------------------------------|
| English: | Oxidizers. Bleach with chlorine. |
| Español: | Oxidantes. Lejía con cloro. |
| Français: | Oxydants. Javel au chlore. |

Hazardous Decomposition products:

| | |
|-----------|--|
| English: | Carbon Monoxide and other hazardous chemicals. |
| Español: | Monóxido de carbono y otros productos químicos arriesgados. |
| Français: | Oxyde de carbone et d'autres produits chimiques les hasardeux. |

Hazardous Polymerization

| | |
|-----------|----------------|
| English: | Will not occur |
| Español: | No ocurrirá |
| Français: | Aucun risqué |

| | |
|-------------------|----------------------------------|
| SECTION 11 | TOXICOLOGICAL INFORMATION |
|-------------------|----------------------------------|

Information on likely routes of exposure

| | |
|---------------------|--|
| Product Information | Toxicological testing has not been conducted for this product overall. Available toxicological data for individual ingredients are summarized below. |
| Inhalation | Avoid breathing vapors or mists. |
| Eye contact | Avoid contact with eyes. Contact with eyes may cause irritation. |
| Skin contact | May cause irritation. |
| Ingestion | If swallowed, do not induce vomiting. Get medical attention immediately. Not an expected route of exposure. |

Component Information

* The IARC Monograph (Vol. 103, 2013, Bitumen and Bitumen Emissions) defines Asphaltas 'Group 2B, Possible Carcinogen to Humans'. This definition is based on studies of exposure to Asphalt fumes at elevated temperatures. The Monograph states that temperature plays an important role in determining the degree of exposure and also the carcinogenic potential of bitumen emissions. This same Monograph states that Asphalt is nonvolatile at ambient temperature. There is no data presented in the Monograph to demonstrate that Asphalt at ambient temperature is considered a carcinogen. Since the normal use of this product is at ambient temperature, the Asphalt used in this product is not listed as a carcinogen. No other national or international agency has defined Asphalt as a carcinogen.

No significant exposure to Crystalline Silica (Quartz) is thought to occur during the use of products in which Crystalline Silica (Quartz) is bound to other materials, such as in paints and coatings. As one reference, see California Office of Health Hazard Assessment at http://www.oehha.org/prop65/CRNR_notices/safe_use/sylicasud2.html

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------|-------------------------|-------------------------|----------------------|
| Asphalt 8052-42-4 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | |
| Nonane 111-84-2 | | | 3200 ppm (Rat) 4 h |
| QUARTZ 14808-60-7 | = 500 mg/kg (Rat) - - | | |

Information on toxicological effects

Symptoms Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|--|
| Skin corrosion/irritation | Can cause skin irritation. |
| Serious eye damage/eye irritation | Irritating to eyes. |
| Irritation | Irritating to eyes, respiratory system and skin. |
| Corrosivity | Not classified. |
| Sensitization | May cause sensitization of susceptible persons. |
| Germ cell mutagenicity | This product does not contain any ingredients that cause germ cell mutagenicity. |
| Carcinogenicity | The table below indicates whether each agency (ACGIH, IARC, NTP, or OSHA) has listed any ingredient as a carcinogen. |
| Hydrated Aluminum-MagnesiumSilicate (Attapulgate) 12174-11-7 | Group 2B Group 3 |
| Reproductive toxicity | None known. |
| Developmental Toxicity | None known. |
| Teratogenicity | None known. |
| STOT - single exposure | No information available. |

STOT - repeated exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - No information available

The following values are calculated based on chapter 3.1 of the GHS document
For exterior use only. Do not use indoors.

ATEmix (oral) 8,209.00
AREmix (dermal) 3,283.00

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity effects:

100% of the mixture consists of components of unknown hazards to the aquatic environment.

SECTION 13 DISPOSAL CONSIDERATIONS

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14 TRANSPORT INFORMATION

Not regulated if shipped in containers less than 119 gallons (450 liters)

DOT ground: Regulated if shipped in containers > 119 gallons (450 liters)

DOT Transportation Data (49 CFR 172.101):

Not regulated in conta

UN Number: 1993 **UN Shipping Name:** Flammable liquid, n.o.s, petroleum distillates

Class & Subsidiary risk: 3, Flammable **Packing Group:** III

Special Precautions for user: See section 5,6,7 & 8 for any associated handling and precautions.

Hazchem code: None allocated.

SECTION 15 REGULATORY INFORMATION

National legislation

SARA 313 No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards:

| | |
|-----------------------------------|-----|
| Acute health hazard | Yes |
| Chronic health hazard | Yes |
| Fire Hazard | Yes |
| Sudden release of pressure hazard | No |
| Reactive hazard | No |

CWA (Clean Water Act)

No chemicals in this material are subject to the reporting requirements of SARA

CERCLA

This product does not contain any chemicals listed under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations**Massachusetts Right To Know**

| | |
|---------------------------------------|------------|
| Asphalt (at Ambient Temperature) | 8052-42-4 |
| Mineral Spirits (with < 0.1% Benzene) | 8052-41-3 |
| Hydrated Aluminum-Magnesium Silicate | 12174-11-7 |
| QUARTZ 1 | 4808-60-7 |

Pennsylvania Right To Know

| | |
|---------------------------------------|------------|
| Asphalt (at Ambient Temperature) | 8052-42-4 |
| Mineral Spirits (with < 0.1% Benzene) | 8052-41-3 |
| Hydrated Aluminum-Magnesium Silicate | 12174-11-7 |
| Asphalt (at Ambient Temperature) | 8052-42-4 |
| Mineral Spirits (with < 0.1% Benzene) | 8052-41-3 |
| QUARTZ 1 | 4808-60-7 |

New Jersey Right To Know

| | |
|---------------------------------------|------------|
| Asphalt (at Ambient Temperature) | 8052-42-4 |
| Mineral Spirits (with < 0.1% Benzene) | 8052-41-3 |
| Hydrated Aluminum-Magnesium Silicate | 12174-11-7 |
| Asphalt (at Ambient Temperature) | 8052-42-4 |
| Mineral Spirits (with < 0.1% Benzene) | 8052-41-3 |
| QUARTZ 1 | 4808-60-7 |

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

| | |
|--------------------------------------|------------|
| Hydrated Aluminum-Magnesium Silicate | 12174-11-7 |
|--------------------------------------|------------|

QUARTZ 1

4808-60-7

Notification status

United States of America TSCA: On the inventory, or in compliance with the inventory

Canada DSL:

On the inventory, or in compliance with the inventory

| | |
|-------------------|--------------------------|
| SECTION 16 | OTHER INFORMATION |
|-------------------|--------------------------|

**NFPA**

| | |
|------------|---|
| Health | 2 |
| Fire | 2 |
| Reactivity | 0 |

Disclaimer:

English: To the best of our knowledge, this SDS conforms to the requirements of US OSHA 29 CFR 1910.1200. The information contained herein is based on data considered accurate to the best of our knowledge at the date of its publication. However, no warranty is expressed or implied regarding the accuracy, completeness, or adequacy of the information contained herein. The manufacturer and/or supplier shall not be held liable (regardless of fault) to the user or third persons, or anyone for any direct, indirect, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information. Each user must review this SDS in the context of how the product will be handled and used in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company so we can attempt to obtain additional information from our suppliers.

The conditions or methods of handling, storage, use, and/or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for any loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.

Please carefully read and understand all labels before using product.

Español: Renuncia de responsabilidad:

Español: A lo mejor de nuestros conocimientos, este SDS se ajusta a las exigencias de Estados Unidos OSHA 29 CFR 1910.1200. La información contenida en este documento se basa en datos consideradas precisas a lo mejor de nuestros conocimientos en la fecha de su publicación. Sin embargo, ninguna garantía es expresa o implícita con respecto a la exactitud, integridad o adecuación de la

información contenida en este documento. El fabricante o el proveedor no se hace responsable (independientemente de la culpa) para el usuario o terceras personas o cualquier persona por los daños directos, indirectos, especiales o consecuentes derivados de o en relación con la exactitud, integridad, adecuación o suministro de dicha información. Cada usuario debe revisar este SDS en el contexto de cómo el producto se controlan y se utilizará en el lugar de trabajo. Si aclaraciones o información adicional es necesaria para garantizar que se puede realizar una evaluación adecuada del riesgo, el usuario debe ponerse en contacto con esta empresa por lo que nosotros podemos intentar obtener información adicional de nuestros proveedores.

Por favor, cuidadosamente leer y entender todas las etiquetas antes de utilizar el product Avis de non-responsabilité.

Français: Le meilleur de notre connaissance, cette fiche signalétique est conforme aux exigences de la US OSHA 29 CFR 1910.1200. Les informations contenues dans le présent document sont basées sur les données considérées comme exactes au meilleur de notre connaissance à la date de sa publication. Cependant, aucune garantie est exprimée ou implicite concernant l'exactitude, l'exhaustivité ou l'adéquation des informations contenues dans les présentes. Le fabricant ou le fournisseur ne peut être tenue responsable (indépendamment de la panne) à l'utilisateur ou des tiers ou quiconque des dommages directs, indirects, spéciaux ou consécutifs, découlant d'ou en relation avec la précision, l'exhaustivité, pertinence ou à la fourniture de ces informations. Chaque utilisateur doit examiner cette fiche signalétique dans le contexte de comment le produit est traité et utilisé en milieu de travail. Si clarification ou complément d'information est nécessaire pour garantir qu'une évaluation appropriée du risque peut être effectuée, l'utilisateur doit contacter cette société afin de nous pouvons tenter d'obtenir des informations complémentaires auprès de nos fournisseurs.

Veillez lire attentivement et comprendre toutes les étiquettes avant d'utiliser le produit

End of SDS document

Fin del documento SDS

Fin de la fiche
signalétique du document