



# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Issue date: 5/14/2025  
Revision date: 5/14/2025  
Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : D-PREP PAINT & WHEEL DECONTAMINATION  
Product code : 4051

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : For use in removing brake dust and road contaminants from painted surfaces.  
Restrictions on use : Product for professional use only

#### 1.3. Manufacturer

##### Manufacturer

Distinctive Details Inc.  
1253 Lower Elkton Rd.  
Columbiana, OH 44408  
T 1 800-711-7021  
[www.DistinctiveDetailsInc.com](http://www.DistinctiveDetailsInc.com)

#### 1.4. Emergency telephone number

Emergency number : 1-800-424-9300 (Chemtrec 24 Hr. Emergency Line)  
International: +1-703-527-3887

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS classification

Acute Tox. 4 (Oral)  
Skin Irrit. 2  
Eye Irrit. 2A  
Skin Sens. 1

#### 2.2. GHS Label elements, including precautionary statements

##### GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Warning

Hazard statements (GHS) :

Harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Precautionary statements (GHS) :

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands, forearms and face thoroughly after handling.

Do not eat, drink or smoke when using this product

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

If swallowed: Call a poison center or doctor if you feel unwell.  
Rinse mouth.  
If on skin: Wash with plenty of water.  
Take off contaminated clothing and wash it before reuse.  
If skin irritation or rash occurs: Get medical advice/attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                   | Chemical name / Synonyms                                                                                                                                                                                      | Product identifier  | %       |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------|
| Sodium thioglycolate   | Sodium thioglycolate<br>Acetic acid, mercapto-, monosodium salt / Sodium mercaptoacetate / Acetic acid, 2-mercapto-, sodium salt (1:1) / SODIUM THIOGLYCOLATE / Sodium sulfanylacetate / sodium thioglycolate | CAS-No.: 367-51-1   | 10 - 50 |
| Alcohol ethoxylate     | Alcohol ethoxylate                                                                                                                                                                                            | CAS-No.: 68991-48-0 | 1 - 5   |
| Ammonium Thioglycolate | Ammonium Mercaptoacetate, Ammonium Thioglycolate, ATG, Mercaptoacetic Acid Ammonium Salt                                                                                                                      | CAS-No.: 5421-46-5  | 10 - 50 |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.

# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### 4.2. Most important symptoms and effects (acute and delayed)

|                                     |                                                                                                                                                                     |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Symptoms/effects after inhalation   | : May cause irritation to the respiratory tract.                                                                                                                    |
| Symptoms/effects after skin contact | : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.<br>May cause an allergic skin reaction.                         |
| Symptoms/effects after eye contact  | : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. |
| Symptoms/effects after ingestion    | : Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.                                                                       |

### 4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

|                                |                                                          |
|--------------------------------|----------------------------------------------------------|
| Suitable extinguishing media   | : Foam. Carbon dioxide (CO2). Water spray. Dry chemical. |
| Unsuitable extinguishing media | : Do not use water jet.                                  |

### 5.2. Specific hazards arising from the chemical

|             |                                                                                                                          |
|-------------|--------------------------------------------------------------------------------------------------------------------------|
| Fire hazard | : Products of combustion may include, and are not limited to: oxides of carbon. Oxides of sulfur.<br>irritating vapours. |
|-------------|--------------------------------------------------------------------------------------------------------------------------|

### 5.3. Special protective equipment and precautions for fire-fighters

|                                |                                                                                                                              |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Firefighting instructions      | : Cool closed containers exposed to fire with water spray. Prevent runoff from entering water courses, sewers and basements. |
| Protection during firefighting | : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).           |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |                                                                                                                                      |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| General measures | : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------|

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

|                         |                                                                                                                                                                                                                                         |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For containment         | : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment. |
| Methods for cleaning up | : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.                                                                                                                                                  |

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

|                               |                                                                                                                                                                                                                |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Ensure adequate ventilation. |
| Hygiene measures              | : Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands, forearms and face thoroughly after handling.                     |

#### 7.2. Conditions for safe storage, including any incompatibilities

|                    |                                                                                                                                                                             |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage conditions | : Keep out of the reach of children. Keep container tightly closed. Store in original container. Store in a dry, cool and well-ventilated place. Store at room temperature. |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER |
|---------------------------------------------------|
| No additional information available               |
| Alcohol ethoxylate (68991-48-0)                   |
| No additional information available               |
| Sodium thioglycolate (367-51-1)                   |
| No additional information available               |
| Ammonium Thioglycolate (5421-46-5)                |
| No additional information available               |

#### 8.2. Appropriate engineering controls

|                                  |                                                                                                                 |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers. |
| Environmental exposure controls  | : Avoid release to the environment.                                                                             |

#### 8.3. Individual protection measures/Personal protective equipment

|                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hand protection:</b>                                                                                                                                                                                                                  |
| Wear suitable gloves resistant to chemical penetration. (rubber gloves)                                                                                                                                                                  |
| <b>Eye protection:</b>                                                                                                                                                                                                                   |
| Wear eye/face protection                                                                                                                                                                                                                 |
| <b>Skin and body protection:</b>                                                                                                                                                                                                         |
| Wear suitable protective clothing. (Chemical resistant apron / Rubber Apron)                                                                                                                                                             |
| <b>Respiratory protection:</b>                                                                                                                                                                                                           |
| In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                                            |                      |
|--------------------------------------------|----------------------|
| Physical state                             | : Liquid             |
| Appearance                                 | : No data available. |
| Colour                                     | : Clear              |
| Odour                                      | : No data available  |
| Odour threshold                            | : No data available  |
| pH                                         | : 6.0 – 7.0          |
| Melting point                              | : No data available  |
| Freezing point                             | : No data available  |
| Boiling point                              | : No data available  |
| Flash point                                | : No data available  |
| Relative evaporation rate (butylacetate=1) | : No data available  |
| Flammability (solid, gas)                  | : Not flammable.     |
| Vapour pressure                            | : No data available  |
| Relative vapour density at 20 °C           | : No data available  |
| Relative density                           | : No data available  |
| Solubility                                 | : No data available  |
| Partition coefficient n-octanol/water      | : No data available  |
| Auto-ignition temperature                  | : No data available  |
| Decomposition temperature                  | : No data available  |
| Viscosity, kinematic                       | : No data available  |
| Viscosity, dynamic                         | : No data available  |
| Explosive limits                           | : No data available  |
| Explosive properties                       | : No data available  |
| Oxidising properties                       | : No data available  |

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use. This mixture may react with many organic and inorganic chemicals.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Heat. Incompatible materials.

#### 10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Oxides of sulfur.

# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified.  
Acute toxicity (inhalation) : Not classified.

| 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER |                            |
|---------------------------------------------------|----------------------------|
| ATE CA (oral)                                     | 331.125 mg/kg bodyweight   |
| Alcohol ethoxylate (68991-48-0)                   |                            |
| LD50 oral rat                                     | > 2000 mg/kg               |
| LD50 dermal rabbit                                | > 2000 mg/kg               |
| Sodium thioglycolate (367-51-1)                   |                            |
| LD50 dermal rat                                   | 1000 – 2000 mg/kg          |
| ATE CA (oral)                                     | 100 mg/kg bodyweight       |
| ATE CA (Dermal)                                   | 1000 mg/kg bodyweight      |
| Ammonium Thioglycolate (5421-46-5)                |                            |
| LD50 oral rat                                     | 50 to 200 mg/kg bodyweight |
| LC50 inhalation rat                               | 20 mg/l/4h                 |

Skin corrosion/irritation : Causes skin irritation.  
pH: 6.0 – 7.0

Serious eye damage/irritation : Causes serious eye irritation.  
pH: 6.0 – 7.0

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified.

Carcinogenicity : Not classified.

Reproductive toxicity : Not classified.

STOT-single exposure : Not classified.

STOT-repeated exposure : Not classified.

Aspiration hazard : Not classified.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.  
May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion : Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

| Alcohol ethoxylate (68991-48-0) |                    |
|---------------------------------|--------------------|
| LC50 - Fish [1]                 | 70.1 ml/l 48 hours |
| EC50 - Crustacea [1]            | 5.3 mg/l Daphnia   |

#### 12.2. Persistence and degradability

| 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER |                  |
|---------------------------------------------------|------------------|
| Persistence and degradability                     | Not established. |

#### 12.3. Bioaccumulative potential

| 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER |                  |
|---------------------------------------------------|------------------|
| Bioaccumulative potential                         | Not established. |

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : No other effects known.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

RCRA STATUS: If discarded in its purchased form, this product is considered a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).

# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 14: Transport information

In accordance with DOT / TDG

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT/TDG) : Not applicable

#### 14.3. Transport hazard class(es)

Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

Transport hazard class(es) (DOT/TDG) : Not applicable

#### 14.4. Packing group

Packing group (DOT/TDG) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

|             |                  |
|-------------|------------------|
| 1,4-Dioxane | CAS-No. 123-91-1 |
|-------------|------------------|

#### 1,4-Dioxane (123-91-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

|           |        |
|-----------|--------|
| CERCLA RQ | 100 lb |
|-----------|--------|

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories

#### 15.2. International regulations

No additional information available



# 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### 15.3. US State regulations

| Component             | State or local regulations                                                                                                                                                                                                                                                                             |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1,4-Dioxane(123-91-1) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |

### SECTION 16: Other information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Revision date : 05/14/2025


Other information : None.

| Full text of H-statements |                                                |
|---------------------------|------------------------------------------------|
| Acute Tox. 4 (Oral)       | Acute toxicity (oral), Category 4              |
| Eye Irrit. 2A             | Serious eye damage/eye irritation, Category 2A |
| Skin Irrit. 2             | Skin corrosion/irritation, Category 2          |
| Skin Sens. 1              | Skin sensitisation, Category 1                 |

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

## 4051 D-PREP PAINT & WHEEL DECONTAMINATION CLEANER

---



### Warning

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.