

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Issue date: 9/1/2020 Revision date: 7/17/2023 Version: 3.0

SECTION 1: Identification 1.1. Identification Product form : Mixture Product name : Bubbalicious Product code : 5093 1.2. Recommended use and restrictions on use

Use of the substance/mixture

: Plastic, rubber, and vinyl coating

1.3. Supplier

Manufacturer

Distinctive Details Inc. 1253 Lower Elkton Rd. Columbiana, OH 44408 1.800.711.7021 www.DistinctiveDetailsInc.com

1.4. Emergency telephone number

Emergency number

: 1-800-424-9300 (Chemtrec 24 Hr. Emergency Line)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Flam. Liq. 2 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1

2.2. GHS Label elements, including precautionary statements

GHS labelling

Hazard pictograms (GHS)

Signal word (GHS)	: Danger	
Hazard statements (GHS)	: Highly flammable liquid and vapour.	
	Causes skin irritation.	
	May cause drowsiness or dizziness.	
	May be fatal if swallowed and enters airways.	
Precautionary statements (GHS)	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
	Keep container tightly closed.	
	Ground/Bond container and receiving equipment.	
	Use explosion-proof electrical, lighting, ventilating equipment.	
	Use only non-sparking tools.	
	Take precautionary measures against static discharge.	

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Avoid breathing dust, fume, gas, mist, spray, vapours. Wash hands, forearms and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection, face protection, protective clothing, protective gloves. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
	n-Heptane Heptane (n-) / Heptane / Normal heptane / Heptane, n- / HEPTANE	CAS-No.: 142-82-5	Proprietary Information

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

This product contains no phosphates

This product contains no NPEO (nonylphenol polyethoxylate)

SECTION 4: First-aid measures	
4.1. Description of first aid measures	i de la constante de la constant
First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects after inhalation Symptoms/effects after skin contact	 May cause irritation to the respiratory tract. May cause drowsiness or dizziness. Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear
	production, with marked redness and swelling of the conjunctiva.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing chemical pneumonia. May cause stomach distress, nausea or vomiting.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing r	media	
5 5	Carbon dioxide (CO2), dry chemical powder, foam. High volume water jet.	
5.2. Specific hazards arising from the chemical		
Fire hazard	Highly flammable liquid and vapour. Products of combustion may include, and are not limited to: oxides of carbon. May release hazardous fumes.	
Explosion hazard	May form flammable/explosive vapour-air mixture. Vapours may travel long distances along ground before igniting/flashing back to vapour source.	
5.3. Special protective equipment and precau	utions for fire-fighters	
Protection during firefighting	 Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). 	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	ment and emergency procedures	
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition.	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
Prevent entry to sewers and public waters.		
6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	 Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment. Sweep or shovel spills into appropriate container for disposal. Provide ventilation. 	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection".

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	 Handle empty containers with care because residual vapours are flammable. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. 	
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Wash hands, forearms and face thoroughly after handling.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions	 Proper grounding procedures to avoid static electricity should be followed. Keep out of the reach of children. Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. 	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Bubbalicious	
No additional information available	
n-Heptane (142-82-5)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	400 ppm (Heptane, all isomers)
ACGIH OEL STEL [ppm]	500 ppm (Heptane, all isomers)
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA [1]	2000 mg/m ³
OSHA PEL TWA [2]	500 ppm
USA - IDLH - Occupational Exposure Limits	
IDLH [ppm]	750 ppm
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	350 mg/m³
NIOSH REL TWA [ppm]	85 ppm
NIOSH REL C	1800 mg/m³
NIOSH REL C [ppm]	440 ppm
8.2. Appropriate engineering controls	

8.2. Appropriate engineering contro

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves resistant to chemical penetration.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Eye protection:

Cofety alegan	or gogeloo are recommend	ndad whan uning product
Salety glasses	or goggies are recommended	nded when using product.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemica	l properties
9.1. Information on basic physical and	chemical properties
Physical state Appearance Colour Odour Odour threshold pH Melting point Freezing point Boiling point Flash point Relative evaporation rate Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Solubility Partition coefficient n-octanol/water	 Liquid Clear liquid Clear Bubblegum No data available 98 °C (208.4 °F) -4 °C (24.8 °F) 3.46 No data available 1.6 PSI at 38°C (100° F): 0.69 16°C (61°F) 0.782 Not soluble. No data available
Auto-ignition temperature Decomposition temperature	: No data available : No data available
Viscosity, kinematic Viscosity, dynamic Explosive limits	: No data available : No data available : No data available

:

No data available : No data available

9.2. Other information

Explosive properties

Oxidising properties

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions. May form flammable/explosive vapour-air mixture.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Direct sunlight.

10.5. Incompatible materials

Strong oxidizers. Chlorine bleach.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified. Not classified. Not classified.
n-Heptane (142-82-5)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LD50 dermal rabbit	3000 mg/kg
LC50 inhalation rat	103 g/m³ (Exposure time: 4 h)
ATE CA (Dermal)	3000 mg/kg bodyweight
ATE CA (vapours)	103 mg/l/4h
ATE CA (dust,mist)	103 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified.
Respiratory or skin sensitisation	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified.
STOT-single exposure	: May cause drowsiness or dizziness.
n-Heptane (142-82-5)	
STOT-single exposure	May cause drowsiness or dizziness.
	Not classified.
STOT-repeated exposure	

n-Heptane (142-82-5)	
LOAEC (inhalation, rat, vapour, 90 days)	16.6 mg/l air Animal: rat, Animal sex: male
NOAEC (inhalation, rat, vapour, 90 days)	3.3 mg/l air Animal: rat, Animal sex: male
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing
	chemical pneumonia. May cause stomach distress, nausea or vomiting.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information	n
12.1. Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
n-Heptane (142-82-5)	
LC50 - Fish [1]	375 mg/l (Exposure time: 96 h - Species: Cichlid fish)
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
12.2. Persistence and degradability	

Bubbalicious		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Bubbalicious		
Bioaccumulative potential	Not established.	
n-Heptane (142-82-5)		
Partition coefficient n-octanol/water	4.66	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		

Other information

: No other effects known.

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations Additional information	 Dispose in a safe manner in accordance with local/national regulations. Handle empty containers with care because residual vapours are flammable. The information in this SDS pertains only to the product as shipped.

SECTION 14: Transport information	
14.1. UN number	
UN-No.(DOT/TDG)	: UN1993
14.2. UN proper shipping name	
Proper Shipping Name (DOT/TDG)	: Flammable liquids, n.o.s. (Contains: Heptanes)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

14.3. Transport hazard class(es)

Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

Class (DOT/TDG)	: 3
Hazard labels (DOT/TDG)	:
	PLANMAELE LIQUD
	3

14.4. Packing group	
Packing group (DOT/TDG)	П
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
Special transport precautions	: Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

n-Heptane (142-82-5)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a final TSCA section 4 test rule.

Poly(dimethylsiloxane) (63148-62-9)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Ethyl acetate (141-78-6)	
CERCLA RQ	5000 lb

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Component	State or local regulations
n-Heptane(142-82-5)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
oxydipropanol(25265-71-8)	U.S Pennsylvania - RTK (Right to Know) List
Ethyl acetate(141-78-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Benzaldehyde(100-52-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List

SECTION 16: Other information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015		
Revision date	: 05/20/2021	
Other information	: None.	

Full text of H-statements	
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
NFPA health haz	ard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	

NFPA reactivity

be ignited under almost all ambient temperature conditions.0 - Material that in themselves are normally stable, even under fire conditions.



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



Manufacturer

Distinctive Details Inc. 1253 Lower Elkton Rd. Columbiana, OH 44408 1.800.711.7021 www.DistinctiveDetailsInc.com Emergency number : 1-800-424-9300 (Chemtrec 24 Hr. Emergency Line)

Bubbalicious

Danger

Highly flammable liquid and vapor, Causes skin irritation, May cause drowsiness or dizziness, May be fatal if swallowed and enters airways

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking, Keep container tightly closed, Ground/Bond container and receiving equipment, Use explosionproof electrical, lighting, ventilating equipment, Use only non-sparking tools, Take precautionary measures against static discharge, Avoid breathing dust, fume, gas, mist, spray, vapors, Wash hands, forearms and face thoroughly after handling, Use only outdoors or in a well-ventilated area, Wear eye protection, face protection, protective clothing, protective gloves, If swallowed: Immediately call a poison center or doctor, Do NOT induce vomiting, If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower, If skin irritation occurs: Get medical advice/attention, Take off contaminated clothing and wash it before reuse, If inhaled: Remove person to fresh air and keep comfortable for breathing, Call a poison center or doctor if you feel unwell, Store in a well-ventilated place. Keep cool, Store locked up, Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

