

Safety Data Sheet

Version: 1.0

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Issue date: 2023-05-18 Revision date:

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product code	: Mixture : Exterior Prep Spray : 3241
1.2. Recommended use and rest	rictions on use
Use of the substance/mixture Restrictions on use	: Surface Prep : Industrial use
1.3. Supplier	
Manufacturer Distinctive Details Inc. 1253 Lower Elkton Rd. Columbiana, OH 44408 T 1 800-711-7021 www.DistinctiveDetailsInc.com	
1.4. Emergency telephone numb	er
Emergency number	: 1-800-424-9300 (Chemtrec 24 Hr. Emergency Line)
SECTION 2: Hazard(s) identifi	ication
2.1. Classification of the substar	ice or mixture
GHS classification Skin Irritation: Category 2 Ey	ve Irritation: Category 2A
2.2. GHS Label elements, includi	ng precautionary statements
GHS labeling	
Hazard Pictograms (GHS)	
Signal Word (GHS) Hazard Statements (GHS)	: Warning : Harmful if swallowed Harmful if in contact with skin Harmful if inhaled Causes skin irritation Causes serious eye irritation
Precautionary statements (GHS)	: Avoid breathing dust/fume/gas/mist/vapors/spray Wash skin thoroughly after handling

Do not eat, drink or smoke when using this product Use only outdoors in a well ventilated area

lenses if present and easy to do – continue rinsing If eye irritation persists get medical advice/attention

IF ON SKIN: Wash with soap and water

Response:

Rinse mouth

Wear protective gloves/protective clothing/eye protection/face protection

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Diethylene glycol monobutyl ether	Diethylene glycol monobutyl ether Butoxydiglycol / Butyl carbitol / Butyl dioxitol / Diethylene glycol butyl ether / Ethanol, 2-(2- butoxyethoxy)- / 2-(2-Butoxyethoxy)ethanol / Diethylene glycol mono-n-butyl ether / BUTOXYDIGLYCOL / Butyl diglycol / Diglycol monobutyl ether / Decan-1-ol, 3,6-dioxa- / BDG / Dowanol DB / Butyl carbitol (diethylene glycol monobutyl ether) / Monobutyl ether of diethyleneglycol / Monobutyl ether of diethylene glycol	CAS-No.: 112-34-5	5-10
Isopropanol	2-Propanol	CAS-No.: 67-63-0	4-9

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects (acute and delayed)		
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.	
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	 May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. 	
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
4.2 Immediate medical attention and		

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 5: Fire-fighting measures		
5 5	: Use extinguishing media appropriate for surrounding fire : High volume water jet.	
5.2. Specific hazards arising from the chemical		
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	

SECTION 6: Accidental release measure	S
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.1.1. For non-emergency personnel	
No additional information available	
6.1.2. For emergency responders	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not

Hygiene measures	swallow. Handle and open container with care. When using do not eat, drink or smoke.Wash contaminated clothing before reuse. Always wash hands after handling the product.	
2. Conditions for safe storage, including any incompatibilities		

Storage conditions

: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and wellventilated place.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exterior Prep Spray	
Diethylene glycol monobutyl ether (112-34-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Diethylene glycol monobutyl ether
ACGIH OEL TWA [ppm]	20 ppm (inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Hematologic, liver & kidney eff
Regulatory reference	ACGIH 2020
Isopropanol, 2-Propanol	
Local name	Isopropyl Alcohol 99%
ACGIH OEL TWA [ppm]	200 ppm (inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Hematologic, liver & kidney eff
Regulatory reference	ACGIH 2020

8.2. Appropriate engineering controls

VENTILATION:

Use only with ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in air. No smoking, or use of flame or other ignition sources.

RESPIRATORY PROTECTION:

Use supplied-air respiratory protection in confined or enclosed spaces, if needed.

PROTECTIVE GLOVES:

Use chemical-resistant gloves, if needed, to avoid prolonged or repeated skin contact.

EYE PROTECTION:

Use splash goggles or face shield when eye contact may occur

OTHER PROTECTIVE EQUIPMENT:

Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing, which could result in prolonged or repeated skin contact.

WORK PRACTICES / ENGINEERING CONTROLS:

To prevent fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system in accordance with (THE) National Fire Protection Association PUBLICATIONS.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves. Consult glove manufacturer's product information on material suitability and material thickness.

Eye protection:

Safety glasses or goggles are recommended when using product.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold

- : Liquid
- : Clear
- : Fresh Air
- : No data available

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

рН	: 7.00
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C / 68 °F	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Direct sunlight. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong Bases.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal) :	Not classified. Not classified. Not classified.
	Nut classifieu.
LD50 oral rat	5660 mg/kg

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Diethylene glycol monobutyl ether (112-34-	
LD50 dermal rabbit	2700 mg/kg
ATE CA (oral)	5660 mg/kg bodyweight
ATE CA (Dermal)	2700 mg/kg bodyweight
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	pH: 6.5 : Not classified. pH: 6.5
Respiratory or skin sensitisation	Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Not classified.
Isopropanol, 2-Propanol (67-63-0)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90- Day Oral Toxicity in Rodents)
Aspiration hazard	Not classified.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 May cause irritation to the respiratory tract. May cause skin irritation. Repeated exposure may cause skin dryness or cracking. May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity		
Ecology - general :	May cause long-term adverse effects in the aquatic environment.	
Diethylene glycol monobutyl ether (112-34-5)		
LC50 - Fish [1]	1300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 - Crustacea [1]	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
Exterior Prep Spray		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Exterior Prep Spray		
Bioaccumulative potential	Not established.	
Isopropanol, 2-Propanol (67-63-0)		
BCF - Fish [1]	(no bioconcentration expected)	

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

`````````````````````````````````	
Isopropanol, 2-Propanol (67-63-0)	
Partition coefficient n-octanol/water	1 (at 20 °C (at pH 7)
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other information	: No other effects known.
SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	
In accordance with DOT / TDG (Not Regulated)	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG)	<ul><li>Not applicable</li><li>Not applicable</li></ul>
14.3. Transport hazard class(es)	
<b>DOT</b> Transport hazard class(es) (DOT)	: Not applicable
<b>TDG</b> Transport hazard class(es) (TDG)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG)	: Not applicable : Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
14.7. Transport in bulk according to Annex	II of MARPOL 73/78 and the IBC Code

Not applicable

### Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### **SECTION 15: Regulatory information**

### **15.1 Federal regulations**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories except for:

### 15.2. International regulations

### No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
2-butoxyethanol (111-76-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Isopropanol, 2-Propanol (67-63-0)	U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015		
Other information	: None.	
	_	
NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.	
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including	
NITA IIIe Hazaid		
	intrinsically noncombustible materials such as concrete, stone, and sand.	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire	
-	conditions.	

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.