



# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Issue date: 8/25/2021  
Revision date: 8/25/2021  
Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : Super Suds  
Product code : 1001

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Car Wash Soap

#### 1.3. Supplier

##### Manufacturer

Distinctive Details Inc.  
1253 Lower Elkton Rd.  
Columbiana, OH 44408  
T 1-800-711-7021  
[www.DistinctiveDetailsInc.com](http://www.DistinctiveDetailsInc.com)

#### 1.4. Emergency telephone number

Emergency number : 1.800.424.9300 Chemtrec 24 Hours

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS classification

Skin Irrit. 2  
Eye Irrit. 2A  
Skin Sens. 1

#### 2.2. GHS Label elements, including precautionary statements

##### GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Warning

Hazard statements (GHS) :

Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.

Precautionary statements (GHS) :

Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wash hands, forearms and face thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If on skin: Wash with plenty of water.  
Take off contaminated clothing and wash it before reuse.  
If skin irritation or rash occurs: Get medical advice/attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Chemical name / Synonyms  | Product identifier  | %      |
|---|---|---------------------|--------|
| Sodium lauryl sulfate   | Sodium lauryl sulfate<br>Dodecyl sodium sulfate / Dodecyl sulfate, sodium / Dodecyl sulfate, sodium salt / Sodium dodecyl sulfate / Sodium dodecyl sulphate / Sodium lauryl sulphate / Sodium monododecyl sulfate / Sodium monolauryl sulfate / Sodium n-dodecyl sulfate / Sulfuric acid, monododecyl ester, sodium salt / Dodecyl sodium sulphate / Sulfuric acid monododecyl ester sodium salt (1:1) / Carsonol SLS special / SODIUM LAURYL SULFATE / Dodecylsulphuric acid, sodium salt / Dodecyl sulphate sodium / Sodium dodecan-1-yl sulfate  | CAS-No.: 151-21-3   | 5 – 10 |
| Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts | Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts<br>Alcohols, C10-16, ethoxylated, sulfates, sodium salts / Alcohols, (C10-16), ethoxylated, monoether with sulfuric acid, sodium salts / (C10-16) Alcohol ethoxylate, sulphated, sodium salt / Alcoholethoxysulfate (sodium salt) / Alcoholethoxysulfate(sodium salt) / Polyethylene glycol mono-C10-16-alkyl ether sulfate sodium salt / .alpha.-Alkyl(C10-16) .omega.-hydroxypoly(oxyethylene) sulfate, sodium salt / Polyethylene glycol ethers of C10-16 alcohols, sodium sulphates / SODIUM C10-16 PARETH-2 SULFATE / Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salt / Sodium salt alkyl ether sulphate / Sodium alkyl (C10-16) ethoxylated sulfate / .alpha.-Sulfo-.omega.-alkyl-C10-16-hydroxypoly(oxy-1,2-ethanediyl) sodium salt / Sodium salt alkyl ether sulfate / Sodium salt of [alkyl(C10-16) ether of .alpha.-hydro-.omega.-(sulfooxy)poly(oxyethylene)] | CAS-No.: 68585-34-2 | 3 – 7  |

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

| Name   | Chemical name / Synonyms  | Product identifier  | %         |
|--|---|---------------------|-----------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts / N-Cocamidopropyl-N,N-dimethylglycine, hydroxide, inner salt / N-(Coco alkyl) amido propyl dimethyl betaine / N-(3-Cocoamidopropyl)-N,N-dimethyl-N-carboxymethylammonium hydroxide, inner salt / Coconut amidobetaine / 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, inner salts / Cocoamido betaine / COCAMIDOPROPYL BETAINE / Cocamidopropyl betaine / Coconut oil amidopropyl betaine / 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-cocoacyl derivatives, hydroxides, inner salts / 3-Amino-N-(carboxymethyl)-N,N-dimethyl-N-cocoacyl(derivatives)-1-propanaminium-hydroxide inner salt / cocamidopropyl betaine | CAS-No.: 61789-40-0 | 3 – 7     |
| Ethyl alcohol  | Ethyl alcohol<br>Methylcarbinol / Ethanol / ALCOHOL / Alcohol anhydrous / Alcohol / Grain alcohol   | CAS-No.: 64-17-5    | 0.5 – 1.5 |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.                           |
| First-aid measures after skin contact | : IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.                           |
| First-aid measures after eye contact  | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.                                     |

#### 4.2. Most important symptoms and effects (acute and delayed)

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects after inhalation   | : May cause irritation to the respiratory tract.  |
| Symptoms/effects after skin contact | : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.                            |
| Symptoms/effects after eye contact  | : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. |
| Symptoms/effects after ingestion    | : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.  |

#### 4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

|                                |   |
|--------------------------------|---|
| Suitable extinguishing media   | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : Do not use water jet.                                     |

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### 5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation. Spill area may be slippery.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

|  |  |
|--|--|
| <b>Super Suds</b>  |  |
| No additional information available  |  |
| <b>Sodium lauryl sulfate (151-21-3)</b>  |  |
| No additional information available  |  |
| <b>Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)</b>                |  |
| No additional information available  |  |
| <b>1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0)</b> |  |
| No additional information available  |  |
| <b>Ethyl alcohol (64-17-5)</b>   |  |
| <b>USA - ACGIH - Occupational Exposure Limits</b>  |  |
| ACGIH OEL STEL [ppm]   | 1000 ppm   |
| ACGIH chemical category  | Confirmed Animal Carcinogen with Unknown Relevance to Humans |
| <b>USA - OSHA - Occupational Exposure Limits</b>   |  |
| OSHA PEL TWA [1]   | 1900 mg/m <sup>3</sup>                                       |
| OSHA PEL TWA [2]   | 1000 ppm   |
| <b>USA - IDLH - Occupational Exposure Limits</b>   |  |
| IDLH [ppm]   | 3300 ppm (10% LEL)   |
| <b>USA - NIOSH - Occupational Exposure Limits</b>  |  |
| NIOSH REL TWA  | 1900 mg/m <sup>3</sup>                                       |
| NIOSH REL TWA [ppm]  | 1000 ppm   |

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

|  |
|--|
| <b>Hand protection:</b>  |
| Wear suitable gloves resistant to chemical penetration   |
| <b>Eye protection:</b>   |
| Wear eye/face protection   |
| <b>Skin and body protection:</b>   |
| Wear suitable protective clothing  |
| <b>Respiratory protection:</b>   |
| In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                      |
|--|----------------------|
| Physical state                             | : Liquid             |
| Appearance                                 | : No data available. |
| Colour                                     | : Yellow             |
| Odour                                      | : Lemon              |
| Odour threshold                            | : No data available  |
| pH   | : 7.5 – 8.5          |
| Melting point                              | : No data available  |
| Freezing point                             | : No data available  |
| Boiling point                              | : No data available  |
| Flash point                                | : No data available  |
| Relative evaporation rate (butylacetate=1) | : No data available  |
| Flammability (solid, gas)                  | : No data available  |
| Vapour pressure                            | : No data available  |
| Relative vapour density at 20 °C           | : No data available  |
| Relative density                           | : No data available  |
| Solubility                                 | : No data available  |
| Partition coefficient n-octanol/water      | : No data available  |
| Auto-ignition temperature                  | : No data available  |
| Decomposition temperature                  | : No data available  |
| Viscosity, kinematic                       | : No data available  |
| Viscosity, dynamic                         | : No data available  |
| Explosive limits                           | : No data available  |
| Explosive properties                       | : No data available  |
| Oxidising properties                       | : No data available  |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Heat. Incompatible materials.

### 10.5. Incompatible materials

Strong oxidizers.

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.  
Acute toxicity (dermal) : Not classified.  
Acute toxicity (inhalation) : Not classified.

#### Sodium lauryl sulfate (151-21-3)

|   |  |
|---|--|
| LD50 oral rat   | 1288 mg/kg   |
| LD50 dermal rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LD50 dermal rabbit                                      | 200 mg/kg  |
| LC50 inhalation rat                                     | > 3900 mg/m <sup>3</sup> (Exposure time: 1 h)  |
| ATE CA (oral)   | 1288 mg/kg bodyweight  |
| ATE CA (Dermal)   | 200 mg/kg bodyweight   |
| ATE CA (Gases (except aerosol dispensers and lighters)) | 4500 ppmv/4h   |
| ATE CA (vapours)  | 11 mg/l/4h   |
| ATE CA (dust,mist)                                      | 1.5 mg/l/4h  |

#### 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0)

|                    |   |
|--------------------|---|
| LD50 oral rat      | > 10000 mg/kg   |
| LD50 dermal rat    | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity),<br>Remarks on results: other: |
| LD50 dermal rabbit | > 2000 mg/kg  |

#### Ethyl alcohol (64-17-5)

|                     |  |
|---------------------|--|
| LD50 oral rat       | 15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560 |
| LC50 inhalation rat | 133.8 mg/l/4h  |
| ATE CA (oral)       | 8300 mg/kg bodyweight  |
| ATE CA (vapours)    | 133.8 mg/l/4h  |
| ATE CA (dust,mist)  | 133.8 mg/l/4h  |

Skin corrosion/irritation : Causes skin irritation.  
pH: 7.5 – 8.5  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: 7.5 – 8.5  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified.  
Carcinogenicity : Not classified.  
Reproductive toxicity : Not classified.

#### 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0)

|                           |  |
|---------------------------|--|
| NOAEL (animal/female, F1) | 1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: |
|---------------------------|--|

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

STOT-single exposure : Not classified.

: Not classified.

STOT-repeated exposure

| Ethyl alcohol (64-17-5)                          |  |
|--|--|
| LOAEL (oral, rat, 90 days)                       | 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)                             |
| NOAEL (oral, rat, 90 days)                       | 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: |
| NOAEL (subchronic, oral, animal/male, 90 days)   | < 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)   |
| NOAEL (subchronic, oral, animal/female, 90 days) | > 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)   |

Aspiration hazard : Not classified.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

| Sodium lauryl sulfate (151-21-3)   |   |
|------------------------------------|---|
| LC50 - Fish [1]                    | 29 mg/l Test organisms (species): Pimephales promelas                         |
| EC50 - Crustacea [1]               | 1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)                       |
| EC50 - Other aquatic organisms [1] | 11.1 mg/l Test organisms (species): other aquatic crustacea:Pseudosida ramosa |
| LC50 - Fish [2]                    | 8 – 12.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])   |
| NOEC chronic fish                  | ≥ 1.357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'   |

### 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0)

|                      |   |
|----------------------|---|
| LC50 - Fish [1]      | 1 – 10 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)          |
| EC50 - Crustacea [1] | 6.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)                 |
| LC50 - Fish [2]      | 2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) |
| LOEC (chronic)       | 3.6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'       |
| NOEC (chronic)       | 0.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'       |

| Ethyl alcohol (64-17-5) |  |
|-------------------------|--|
| LC50 - Fish [1]         | 14.2 g/l Test organisms (species): Pimephales promelas                   |
| EC50 - Crustacea [1]    | 9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)         |
| LC50 - Fish [2]         | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| EC50 - Crustacea [2]    | 2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])           |



# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

| Ethyl alcohol (64-17-5) |  |
|-------------------------|--|
| ErC50 algae             | 1000 mg/l  |
| NOEC (chronic)          | 9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d' |
| NOEC chronic crustacea  | 9.6 mg/l   |

### 12.2. Persistence and degradability

| Super Suds                    |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

### 12.3. Bioaccumulative potential

| Super Suds                |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| Sodium lauryl sulfate (151-21-3)      |                           |
|---------------------------------------|---------------------------|
| BCF - Fish [1]                        | (will not bioconcentrate) |
| Partition coefficient n-octanol/water | 1.6                       |

| Ethyl alcohol (64-17-5)               |       |
|---------------------------------------|-------|
| Partition coefficient n-octanol/water | -0.32 |

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : No other effects known.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## SECTION 14: Transport information

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name : Not applicable

### 14.3. Transport hazard class(es)

#### Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

Not applicable

### 14.4. Packing group

Packing group : Not applicable

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

#### Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)

|                          |   |
|--------------------------|---|
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). |
|--------------------------|---|

#### n-Amyl acetate (628-63-7)

|           |         |
|-----------|---------|
| CERCLA RQ | 5000 lb |
|-----------|---------|

#### Ethyl acetate (141-78-6)

|           |         |
|-----------|---------|
| CERCLA RQ | 5000 lb |
|-----------|---------|

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

### 15.2. International regulations

No additional information available

### 15.3. US State regulations

| Component                 | State or local regulations  |
|---------------------------|---|
| Ethyl alcohol(64-17-5)    | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List |
| Benzyl alcohol(100-51-6)  | U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List   |
| hexylene glycol(107-41-5) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List |
| Benzaldehyde(100-52-7)    | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List |
| Benzyl acetate(140-11-4)  | U.S. - New Jersey - Right to Know Hazardous Substance List  |

# Super Suds

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

| Component                  | State or local regulations   |
|----------------------------|--|
| Ethyl butyrate(105-54-4)   | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List  |
| Ethyl acetate(141-78-6)    | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |
| n-Amyl acetate(628-63-7)   | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |
| C.I. Basic Red 1(989-38-8) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |
| C.I. Food Red 15(81-88-9)  | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |


### SECTION 16: Other information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Revision date : 08/25/2021  
Other information : None.

| Full text of H-statements |  |
|---------------------------|--|
| Eye Irrit. 2A             | Serious eye damage/eye irritation, Category 2A |
| Skin Irrit. 2             | Skin corrosion/irritation, Category 2          |
| Skin Sens. 1              | Skin sensitisation, Category 1                 |

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.  
NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.  
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



# Super Suds

---

## Warning

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### Manufacturer

Distinctive Details Inc.  
1253 Lower Elkton Rd.  
Columbiana, OH 44408  
T 1-800-711-7021

[www.DistinctiveDetailsInc.com](http://www.DistinctiveDetailsInc.com)

